Issue 2005.08.31 Revision 2022.11.07

# Safety Data Sheet (SDS)

### Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-1027R/Ink-R27 1027R/JP-R27 Product Code

Reference Number

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd.

Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Company Contact IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

ogino-masahiko@hitachi-ies.co.jp Mail Address

Number

**Emergency Phone** +81-294-36-8682

Recommended Use Industrial ink jet printers

### Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Reproductive toxicity Category 1B

Specific target organ toxicity (single exposure)

Category 1 (visual organ kidney central nervous system

systemic toxicity)

Specific target organ toxicity (single exposure) Category 3(narcotic effect respiratory tract irritation)

Specific target organ toxicity (repeated exposure) Category 1 (visual organ nervous system central

nervous system)

Other hazards than mentioned above are Not classified

or Classification not possible.

### **GHS Label Elements**

# **Pictograms**



Signal Word

Danger Hazard Statements H225 Highly flammable liquid and vapour

H315 Causes skin irritation

H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H360 May damage fertility or the unborn child H370 Causes damage to visual organ, kidney, central

nervous system, systemic toxicity

H372 Causes damage to visual organ, nervous system, central nervous system through prolonged or repeated

exposure

**Precautionary Statements** 

Prevention Obtain special instructions before use.(P201)

Do not handle until all safety precautions have been

read and understood.(P202)

Response

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233) Ground and bond container and receiving equipment.(P240)

Use explosion-proof electrical, ventilating and lighting equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264) Do not eat, drink or smoke when using this product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

IF ON SKIN: Wash with plenty of soap and

water.(P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Call a doctor if you feel unwell.(P312) Get medical advice and attention if you feel unwell.(P314)

Specific treatment.(P321)

If skin irritation occurs: Get medical advice/attention.(P332+P313) If eye irritation persists: Get medical advice/attention.(P337+P313)

Take off contaminated clothing and wash it before

reuse.(P362+P364)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Dispose of contents and container in accordance with Disposal

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Storage

Mixture

Chemical Name or Generic | Concentration or Its | Formula ENCS No./ISHL No. CAS RN

Name	Ranges (%)		ENCS No.	ISHL No.	
Methyl ethyl ketone	55-65%	CH3CH2CO CH3	(2)-542	Registered	78-93-3
Methanol	5-15%	СНЗОН	(2)-201	Registered	67-56-1
Chromium and its	5-10%	-	Registered(	Registered(	-
compounds			Trade	Trade	
			secret)	secret)	

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

IF exposed or concerned: Call a doctor. Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Eye Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Call a doctor.

Ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Use extinguishing agent suitable for type of surrounding

When dust occurs, use dry sand. Cylindric water.

Unsuitable Extinguishing

Media

Specific Hazards in Case of Risk of producing harmful gases such as carbon Fire monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Special Protective Use goggles in combination with dust mask, and another

**Equipment and Precautions** protections as appropriate to situation.

for Fire Fighters

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and

**Emergency Procedures** 

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

**Environmental Precautions** Do not discharge into the drains, surface waters or

ground water directly.

small spill: absorb with material such as non-Methods and Equipment for Containment and Cleaning combustible materialwash thoroughly after handling

Up

Large spills: Dike spills and dispose of in safe area.

Prevention Measures for Keep away from sources of ignition and prepare

Secondary Accidents extinguishing media.

Risk of slipping. Spilled material forms slippery floor.

Do not recklessly walk on the spillage.

Section 7 - HANDLING AND STORAGE

Handling **Technical Measures** Provide ventilation system and use necessary personal protective equipment as described in "Section 8 -

EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Prevents Handling of

Refer to "Section 10 - STABILITY AND REACTIVITY".

Incompatible Substances or

Mixtures Conditions for Safe

Storage

Refer to "Section 10 - STABILITY AND REACTIVITY".

Store locked up.

Store container tightly closed in well-ventilated place.

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration	Exposure Limits (Japan	Exposure Limits (ACGIH)
	Level	Society for	
		Occupational Health)	
Methanol	200ppm	200ppm(260mg/m3)(skin	TWA 200 ppm, STEL 250 ppm
		)	(Skin)
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm
Chromium and its	-	0.5mg/m3 as Cr3+	_
compounds			

**Engineering Controls** Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity.

Personal Protective

Equipment

Storage

Respiratory Protection

Eye/Face Protection

Hand Protection

Wear protective gloves. Wear eye protection/face protection.

If necessary, wear respiratory protection.

Skin and Body Protection

Wear protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Liquid Liquid

Form

Colour Red

Odour Solvent odor Melting Point/Freezing No data available

Point

Boiling Point or Initial 79.6 °C

Boiling Point and Boiling

Ranges

No data available Flammability Lower and Upper Explosion Lower Limit No data available

Limit / Flammability Limit

Upper Limit No data available

-6°C (Tag Closed Cup) Flash Point

Auto-Ignition Temperature No data available

No data available Decomposition

Temperature

pН No data available Kinematic Viscosity No data available

Solubility Insoluble in the following materials: Cold water.

Partition Coefficient : n-No data available

Octanol/Water

Vapour Pressure No data available

Density and/or Relative 0.903

Density

Relative Gas Density No data available Particle Characteristics No data available

as Methanol

Melting Point/Freezing -93.9°C

Point

Boiling Point or Initial 64.1°C, 59.4°C(610mmHg), 39.9°C(260mmHg), 15°C

**Boiling Point and Boiling** (73mmHg)

Ranges

Density and/or Relative  $0.866(-59^{\circ}C/4^{\circ}C)$ ,  $0.81(0^{\circ}C/4^{\circ}C)$ ,  $0.8006(10^{\circ}C/4^{\circ}C)$ ,

0.7910(20°C), 0.7964(15°C/15°C) Density

as Methyl ethyl ketone

Melting Point/Freezing −86.4°C

Point

**Boiling Point or Initial** 79.6°C

Boiling Point and Boiling

Ranges

0.8061 Density and/or Relative

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous

Reaction

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

source of ignition.

Incompatible Substances or No data available

**Mixtures** 

Hazardous Decomposition No data available

**Products** 

Other Data No data available

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity Oral Unable to classify due to insufficient data.

Dermal Unable to classify due to insufficient data.

Inhalation (gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classified as Category 4 since ATE is 2500 to

(dust and mist)

Unable to classify due to insufficient data.

Skin Corrosion/Irritation Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Serious Eye Damage/Eye Classified as Category 2A since the sum of Eye

Irritation Category 2A is more than 10%.

Respiratory Sensitization Classification not possible since lots of the concentrations of unknown ingredients.

Skin Sensitization Classification not possible since lots of the concentrations of unknown ingredients.

Germ Cell Mutagenicity

Classification not possible since lots of the concentrations of unknown ingredients.

Carcinogenicity Unable to classify due to insufficient data.

(Reproductive toxicity)

Classified as Category 1B since one of the Category 1B

ingredients is more than 0.3%.

(Reproductive toxicity, effects on or via lactation)

Unable to classify due to insufficient data.

Specific Target Organ

Classified as Category 1(visual organ) since one of the Toxicity (Single Exposure)

Category 1(visual organ) ingredients is more than 10%.

Classified as Category 1(kidney) since one of the Category 1(kidney) ingredients is more than 10%.

Classified as Category 1(central nervous system) since one of the Category 1(central nervous system)

ingredients is more than 10%.

Classified as Category 1(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is more than 10%

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Classified as Category 1(visual organ) since one of the Category 1(visual organ) ingredients is more than 10%.

Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more

Classified as Category 1(central nervous system) since one of the Category 1(central nervous system)

ingredients is more than 10%.

Aspiration Hazard Classified as Classification not possible since the

kinematic viscosity is unknown.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term

Specific Target Organ

Toxicity (Repeated

Exposure)

Reproductive Toxicity

(Acute)

Hazardous to the Aquatic Environment, Long-Term

(Chronic) Ecotoxicity

Persistence

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available

Bioaccumulative Potential

No data available

Mobility in Soil

No data available

Hazardous to the Ozone

Unable to classify due to insufficient data.

Layer

### Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

### Section 14 - TRANSPORT INFORMATION

International Regulations

Regulatory

Conform to the provisions of IMO.

Information by Sea

UN No. 121

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3
Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of ICAO/IATA.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Regulations in Japan

Regulatory Complies with the Fire Service Act.

Information by Road

Regulatory Conform to the provisions of the Ship Safety Law.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable

Liquid Substance Transported in Bulk According to

MARPOL 73/78, Annex II, the IBC

Code

Conform to the provisions of the Civil Aeronautics Law.

Regulatory Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Not applicable

Class 3
Packing Group II
130

Emergency Response Guide

Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health

Act

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.),

Enforcement Ordinance 2 of Appendix 6

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names, etc .(Article 57 part 2 ,Order Article 18 part 2-1 and part 2, Attached Table9)

Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts)(Number: 142) (1%-10%)

Methanol (Number: 560) (1%-10%)

Methyl ethyl ketone (Number: 570) (50%–60%)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Not applicable

Not applicable

Fire Service Act

Narcotics and

Act

Management Thereof

Water Pollution Prevention

Psychotropics Control Act

Foreign Exchange and

Foreign Trade Act

Hazardous Materials Category IV inflammable liquids Class I

petroleums non water-soluble Packing Group  ${\rm I\hspace{-.1em}I}$ 

Specified substances (article 2, paragraph 4 of the Act, article 3 of

the Enforcement Ordinance)

raw materials for Narcotics or Psychotropics(Appended Table IV part

9, Order Article 4)

Import Trade Control Order Appended Table I part 16

Import Trade Control Order Appended Table II (Import Approval )

Ship Safety Law Flammable liquids(Order Article 3,Appended Table I)

Aviation Law Flammable liquids(Order Article 194,Appended Table I)

Section 16 - OTHER INFORMATION

Industrial Safety and Health Act Second-class organic solvents, etc.contain more than 5% of Second-

class organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Exchange and Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act
Poisonous and
Deleterious
Substances Control

The flash point of Class I petroleums is less than 21  $^\circ\,$  c. The deleterious substances is only applicable to the material, and

the mixture is non-applicable.

RoHS Specified Substance Concentration

Act

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm

Allowable concentration Standards Cited Literature TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit

JIS Z7253:2019

1) International Chemical Safety Cards

- 2) National Institute of Technology and Evaluation (NITE), Japan
- 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan

Additional Information about This Product:

4) EZSDS (JCDB)

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.