Issue 2005.08.31

Revision 2022.11.07

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-1061K/Ink-K61 1061K/JP-K61 Product Code

Reference Number

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd.

Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Company Contact IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

ogino-masahiko@hitachi-ies.co.jp Mail Address

Number

Emergency Phone +81-294-36-8682

Recommended Use Industrial ink jet printers

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Skin sensitization Category 1 Carcinogenicity Category 2 Reproductive toxicity Category 1A

Specific target organ toxicity (single exposure) Category 1 (visual organ systemic toxicity central

nervous system)

Specific target organ toxicity (single exposure)

Category 2(kidney)

Specific target organ toxicity (single exposure) Category 3 (narcotic effect respiratory tract irritation)

Specific target organ toxicity (repeated exposure) Category 1 (visual organ central nervous system

peripheral nervous system)

Environmental Hazardous to the aquatic environment, short-term Hazards (acute) Category 3

Hazardous to the aquatic environment, long-term

(chronic) Category 3

Other hazards than mentioned above are Not classified

or Classification not possible.

GHS Label Elements

Pictograms



Signal Word

Hazard Statements H225 Highly flammable liquid and vapour

H315 Causes skin irritation

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H351 Suspected of causing cancer

H360 May damage fertility or the unborn child

H370 Causes damage to visual organ, systemic toxicity, central nervous system

H371 May cause damage to kidney

H372 Causes damage to visual organ, central nervous system, peripheral nervous system through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been

read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233) Ground and bond container and receiving

equipment.(P240)

Use explosion-proof electrical, ventilating and lighting

equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261)

Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264) Do not eat, drink or smoke when using this

product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Contaminated work clothing should not be allowed out of the workplace.(P272)

Avoid release to the environment.(P273)

Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF ON SKIN: Wash with plenty of soap and water.(P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or

shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep

comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical

advice/attention.(P308+P313)

Call a doctor if you feel unwell.(P312)

Get medical advice and attention if you feel

unwell.(P314)

Specific treatment.(P321)

If skin irritation occurs: Get medical advice/attention.(P332+P313)

If skin irritation or rash occurs: Get medical

advice/attention.(P333+P313)

If eye irritation persists: Get medical advice/attention.(P337+P313)

Take off contaminated clothing and wash it before

reuse.(P362+P364)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Storage Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or

Mixture

Mixture

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (%)		ENCS No.	ISHL No.	
Methyl ethyl ketone	70-80%	CH3CH2CO CH3	(2)-542	Registered	78-93-3
Methanol	1-10%	СНЗОН	(2)-201	Registered	67-56-1
Chromium and its compounds	0.1-1%	_	Registered(Trade secret)	Registered(Trade secret)	Trade secret
Glycidyl Phenyl Ether	0.1-1%	_	(3)-559,(3)- 594	Registered	122-60-1

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

IF exposed or concerned: Call a doctor. Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs, get medical advice and

attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Eye Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Call a doctor.

Ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Use extinguishing agent suitable for type of surrounding Media

Media

Specific Hazards in Case of

Specific Fire Fighting

Unsuitable Extinguishing

When dust occurs, use dry sand.

Cylindric water.

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases. Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Special Protective Use goggles in combination with dust mask, and another **Equipment and Precautions**

protections as appropriate to situation.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and **Emergency Procedures**

Environmental Precautions

Prevention Measures for

Secondary Accidents

for Fire Fighters

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Do not discharge into the drains, surface waters or

ground water directly.

Methods and Equipment for small spill: absorb with material such as non-Containment and Cleaning combustible materialwash thoroughly after handling

Storage

Large spills: Dike spills and dispose of in safe area.

Keep away from sources of ignition and prepare

extinguishing media.

Risk of slipping. Spilled material forms slippery floor.

Do not recklessly walk on the spillage.

Section 7 - HANDLING AND STORAGE

Handling **Technical Measures**

Provide ventilation system and use necessary personal protective equipment as described in "Section 8 -EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Contaminated work clothing should not be allowed out

of the workplace.

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Prevents Handling of Incompatible

Refer to "Section 10 - STABILITY AND REACTIVITY".

Substances or **Mixtures**

Refer to "Section 10 - STABILITY AND REACTIVITY".

Conditions for Safe Storage

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

		Ir	In the same Line in (ACCILI)
		1. '	Exposure Limits (ACGIH)
	Level	Society for	
		Occupational Health)	
Glycidyl Phenyl Ether	_	_	TWA 0.1 ppm, STEL - (Skin)

Methanol	200ppm	200ppm(260mg/m3)(skin)	TWA 200 ppm, STEL 250 ppm (Skin)
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm
Chromium and its	-	0.5mg/m3 as Cr3+	-
compounds			

Engineering Controls

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity.

Personal Protective Equipment

Respiratory Protection If necessary, wear respiratory protection.

Hand Protection

Wear protective gloves.

Eye/Face Protection
Skin and Body

Wear eye protection/face protection.

Protection

Wear protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid
Form Liquid
Colour Black
Odour Solvent odor
Melting Point/Freezing No data available

Point

Boiling Point or Initial 65 °C

Boiling Point and Boiling

Ranges

Flammability No data available

Lower and Upper Explosion Lower Limit

Limit / Flammability Limit

1.8vol%

Upper Limit 37vol%

Flash Point -6.2°C (Tag Closed Cup)

Auto-Ignition Temperature 385 °C

Decomposition No data available

Temperature

pH No data available
Kinematic Viscosity No data available
Solubility No data available
Partition Coefficient: n- No data available

Octanol/Water

Vapour Pressure 12.799kPa (25°C)

Density and/or Relative 0.886

Density

Relative Gas Density

Particle Characteristics

No data available

No data available

as Methanol

Melting Point/Freezing -93.9°C

Point

Boiling Point or Initial 64.1°C, 59.4°C(610mmHg), 39.9°C(260mmHg), 15°C

Boiling Point and Boiling (73mmHg)

Ranges

Density and/or Relative $0.866(-59^{\circ}C/4^{\circ}C), \ 0.81(0^{\circ}C/4^{\circ}C), \ 0.8006(10^{\circ}C/4^{\circ}C),$

Density 0.7910(20°C), 0.7964(15°C/15°C)

as Methyl ethyl ketone

Melting Point/Freezing -86.4°C

Point

Boiling Point or Initial Boiling Point and Boiling

Ranges

0.8061

79.6°C

Density and/or Relative Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions. Chemical Stability Stable under normal conditions of use.

Flammable

Possibility of Hazardous Reaction

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

> source of ignition. No data available

Incompatible Substances or

Mixtures

Hazardous Decomposition No data available

Products Other Data

No data available

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity Oral Unable to classify due to insufficient data. Dermal Unable to classify due to insufficient data.

Inhalation

Does not fall under gas based on GHS definitions.

(vapour)

Classified as Category 4 since ATE is 2500 to

(dust and mist)

Unable to classify due to insufficient data.

Skin Corrosion/Irritation Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Serious Eye Damage/Eye Classified as Category 2A since the sum of Eye Category 2 ingredients is more than 10%.

Irritation

Respiratory Sensitization Classification not possible since lots of the concentrations of unknown ingredients.

Skin Sensitization Classified as Category 1 since one of the Category 1

ingredients is more than 1.0%.

Germ Cell Mutagenicity Classification not possible since lots of the

concentrations of unknown ingredients.

Classified as Category 2 since one of the Category 2 Carcinogenicity

ingredients is more than 1.0%.

Reproductive Toxicity (Reproductive toxicity)

Classified as Category 1A since one of the Category 1

ingredients is more than 0.3%.

(Reproductive toxicity, effects on or via lactation)

Unable to classify due to insufficient data.

Specific Target Organ Classified as Category 1(visual organ) since one of the Toxicity (Single Exposure) Category 1(visual organ) ingredients is more than 10%.

> Classified as Category 1(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is more

than 10%.

Classified as Category 1(central nervous system) since

one of the Category 1(central nervous system)

ingredients is more than 10%.

Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than

20%.

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Specific Target Organ Toxicity (Repeated Exposure) Classified as Category 1(visual organ) since one of the Category 1(visual organ) ingredients is more than 10%.

Classified as Category 1(central nervous system) since one of the Category 1(central nervous system) ingredients is more than 10%.

Classified as Category 1(peripheral nervous system) since one of the Category 1(peripheral nervous system)

ingredients is more than 10%.

Aspiration Hazard Classified as Classification not possible since the

kinematic viscosity is unknown.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Classified as Category 3 since the sum of $(M \times 100 \times Environment, Short-Term)$ Category 1) + $(10 \times Environment, Short-Term)$ Category 2) + Category 3

(Acute) ingredients is more than 25%.

Hazardous to the Aquatic Classified as Category 3 since the sum of $(M \times 100 \times Environment, Long-Term)$ Category 1) + $(10 \times Category 2)$ + Category 3

(Chronic) ingredients is more than 25%.

Ecotoxicity

Persistence

Bioaccumulative Potential

No data available

No data available

Mobility in Soil No data available

Hazardous to the Ozone Unable to classify due to insufficient data.

Layer

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations Regulatory Conform to the provisions of IMO.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable

Liquid Substance Transported in Bulk

According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory

Conform to the provisions of ICAO/IATA.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Not applicable

Class 3 Packing Group II

Regulations in Japan

Regulatory

Complies with the Fire Service Act.

Information by Road

Regulatory Conform to the provisions of the Ship Safety Law.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of the Civil Aeronautics Law.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3
Packing Group II
130

Emergency Response Guide Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health

Act

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names, etc. (Article 57 part 2, Order Article 18 part 2–1 and part 2, Attached Table9)

Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts) (Number: 142) (less than 5%)

Methanol (Number: 560) (1%-10%)

Methyl ethyl ketone (Number: 570) (70%-80%) Glycidyl Phenyl Ether (Number: 91) (less than 5%)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Poisonous and Deleterious Substances Control Act

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the **Environment and Promotion** of Improvements to the Management Thereof

Not applicable

9, Order Article 4)

Fire Service Act

Hazardous Materials Category IV inflammable liquids Class I

raw materials for Narcotics or Psychotropics(Appended Table IV part

petroleums non water-soluble Packing Group II

Water Pollution Prevention

Specified substances (article 2, paragraph 4 of the Act, article 3 of the Enforcement Ordinance) Act

Narcotics and Psychotropics Control Act

Foreign Exchange and Foreign Trade Act

Import Trade Control Order Appended Table I part 16

Import Trade Control Order Appended Table II (Import Approval)

Ship Safety Law **Aviation Law**

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.

Act on the Regulation We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

of Manufacture and Evaluation of **Chemical Substances**

> The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act Poisonous and **Deleterious**

The flash point of Class I petroleums is less than 21 $^{\circ}\,$ c. The deleterious substances is only applicable to the material, and

the mixture is non-applicable.

Substances Control Act

RoHS Specified

Substance Concentration Substances treated as equipment are exempt from this law. $Cd \\ < 100ppm \quad Pb, \ Hg, \ Cr(VI), \ PBB, \ PBDE, \ DEHP, \ DBP, \ BBP, \ DIBP$ <1000ppm

Allowable concentration Standards

TLV-TWA: Threshold Limit Values-Time Weighted Average STEL

(Short Term Exposure Limit

JIS Z7253:2019

Cited Literature

1) International Chemical Safety Cards

2) National Institute of Technology and Evaluation (NITE), Japan

3) Site for Safe Workplace by Ministry of Health, Labour and

Welfare, Japan 4) EZSDS (JCDB) Additional Information To the best of our knowledge, the information contained herein is about This Product: accurate. However, neither the above named supplier nor any of it

accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.