1/10

Issue 2005.08.31 Revision 2022.11.03

Safety Data Sheet (SDS)

Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-1063F/Ink-F63
Product Code	1063F/JP-F63
Reference Number	10
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1−1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Company Contact	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682

Fax Number Mail Address Emergency Phone Number Recommended Use +81-294-36-8682 +81-294-36-8975 ogino-masahiko@hitachi-ies.co.jp +81-294-36-8682

lse Industrial ink jet printers

Section 2 – HAZARDS IDENTIFICATION

GHS Classification of the	Chemical	
	Physicochemical	Flammable liquids Category 2
	Health Hazards	Acute toxicity (Inhalation: vapour) Category 3
		Skin corrosion/irritation Category 2
		Serious eye damage/eye irritation Category 2A
		Carcinogenicity Category 1A
		Reproductive toxicity Category 1A
		Specific target organ toxicity (single exposure) Category 1(blood visual organ central nervous system central nervous system)
		Specific target organ toxicity (single exposure) Category 2(kidney)
		Specific target organ toxicity (single exposure) Category 3(narcotic effect respiratory tract irritation)
		Specific target organ toxicity (repeated exposure) Category 1(liver visual organ central nervous system peripheral nervous system)
		Specific target organ toxicity (repeated exposure) Category 2(blood nervous system)
		Other hazards than mentioned above are Not classified or Classification not possible.
GHS Label Elements		
	Pictograms	
	Signal Word	Danger
	Hazard Statements	H225 Highly flammable liquid and vapour
		H315 Causes skin irritation
		H319 Causes serious eye irritation
		H331 Toxic if inhaled
		H335 May cause respiratory irritation
		H336 May cause drowsiness or dizziness
		H350 May cause cancer
		H360 May damage fertility or the unborn child
		H370 Causes damage to blood、visual organ、central nervous system、central nervous system
		·····

H371 May cause damage to kidney

	H372 Causes damage to liver、visual organ、central nervous system、peripheral nervous system through prolonged or repeated exposure
	H373 May cause damage to blood、nervous system through prolonged or repeated exposure
Precautionary State	
Prevention	Obtain special instructions before use.(P201)
	Do not handle until all safety precautions have been read and understood.(P202)
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)
	Keep container tightly closed.(P233)
	Ground and bond container and receiving equipment.(P240)
	Use explosion-proof electrical, ventilating and lighting equipment.(P241)
	Use non-sparking tools.(P242)
	Take action to prevent static discharges.(P243)
	Do not breathe dust/fume/gas/mist/vapours/spray.(P260)
	Avoid breathing
	dust/fume/gas/mist/vapours/spray.(P261)
	Wash hand thoroughly after handling.(P264)
	Wash eye thoroughly after handling.(P264)
	Do not eat, drink or smoke when using this product.(P270)
	Use only outdoors or in a well-ventilated area.(P271)
	Wear protective gloves/protective clothing/eye protection/face protection.(P280)
Response	IF ON SKIN: Wash with plenty of soap and water.(P302+P352)
	IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
	IF exposed or concerned: Call a doctor.(P308+P311)
	IF exposed or concerned: Get medical advice/attention.(P308+P313)
	Call a doctor.(P311)
	Call a doctor if you feel unwell.(P312) Get medical advice and attention if you feel
	unwell.(P314)
	Specific treatment.(P321)
	If skin irritation occurs: Get medical advice/attention.(P332+P313)
	If eye irritation persists: Get medical advice/attention.(P337+P313)
	Take off contaminated clothing and wash it before reuse.(P362+P364)
	In case of fire: Use appropriate media to extinguish.(P370+P378)
Storage	Store in a well-ventilated place. Keep container tightly closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405) Disposal Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Mixture					
Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (%)		ENCS No.	ISHL No.	
Methyl ethyl ketone	50-60%	CH3CH2CO CH3	(2)-542	Registered	78-93-3
Methanol	1-10%	CH3OH	(2)-201	Registered	67-56-1
Ethanol	1-10%	СН3СН2ОН	(2)-202	Registered	64-17-5
glycol ether solvent	10-20%	—	Registered	Registered	Trade secret
Isopropyl alcohol	0.1-1%	CH3CH(OH)CH3	(2)-207	Registered	67-63-0

Section 4 - FIRST AID MEASURES

Section 4 – FIRST AID MEASURES	
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
	Call a doctor.
	IF exposed or concerned: Call a doctor.
	Specific treatment is urgent.
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	IF ON SKIN: Wash with plenty of soap and water.
	If skin irritation occurs: Get medical advice and attention.
	Specific treatment.
	IF exposed or concerned: Call a doctor.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If eye irritation persists: Get medical advice/attention.
	IF exposed or concerned: Call a doctor.
Ingestion	Rinse mouth.
	IF SWALLOWED: Call a doctor if you feel unwell.
	IF exposed or concerned: Call a doctor.
Section 5 – FIRE FIGHTING MEASURES	
Suitable Extinguishing	Use extinguishing agent suitable for type of surrounding
Media	fire.
	When dust occurs, use dry sand.
Unsuitable Extinguishing Media	Cylindric water.
Specific Hazards in Case of	Risk of producing harmful gases such as carbon
Fire	monoxide. Avoid inhalation of smoke or gases.
Specific Fire Fighting	Fight fire from upwind position if possible Keep away from sources of ignition and use appropriate extinguishing media.
	Prohibit unauthorized staff from entering the area around the fire.
	Keep unnecessary people away.
Special Protective	Use goggles in combination with dust mask, and another
Equipment and Precautions for Fire Fighters	protections as appropriate to situation.

Section 6 – ACCIDENTAL RELE Personal Precautions, Protective Equipment and Emergency Procedures	EASE MEASURES	Use goggles in combination with dust mask, and another protections as appropriate to situation.
Environmental Precautions Methods and Equipment for Containment and Cleaning Up		Large spills :Evacuate area. Ensure adequate ventilation. Do not discharge into the drains, surface waters or ground water directly. small spill : absorb with material such as non- combustible materialwash thoroughly after handling
Prevention Measures for Secondary Accidents		Large spills: Dike spills and dispose of in safe area. Keep away from sources of ignition and prepare extinguishing media. Risk of slipping. Spilled material forms slippery floor.
Section 7 - HANDLING AND ST Handling	TORAGE Technical Measures	Do not recklessly walk on the spillage. Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".
		Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.
		Take precautionary measures against static discharge.
		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe	Keep cool.
	Handling	Do not breathe dust/fume/gas/mist/vapours/spray.
		Do not eat, drink or smoke when using this product.
		Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 - STABILITY AND REACTIVITY".
Storage	Conditions for Safe Storage	Refer to "Section 10 - STABILITY AND REACTIVITY". Store locked up. Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration	Exposure Limits (Japan	Exposure Limits (ACGIH)
	Level	Society for	
		Occupational Health)	
Isopropyl alcohol	200ppm	【 Maximum allowable concentration 】 400ppm (980mg/m3)	TWA 200 ppm, STEL 400 ppm
Methanol	200ppm	200ppm(260mg/m3)(skin)	TWA 200 ppm, STEL 250 ppm (Skin)
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm
Ethanol	-	-	TWA -, STEL 1000 ppm
glycol ether solvent	-	-	-

Engineering Controls		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
		Use explosion-proof electrical equipment and prevent
Personal Protective	Poopirator (from static electrocity.
Equipment	Respiratory Protection	If necessary, wear respiratory protection.
	Hand Protection	Wear protective gloves.
	Eye/Face Protection Skin and Body Protection	Wear eye protection/face protection. Wear protective clothing.
Conting 0 DUVCIOAL AND (
Section 9 - PHYSICAL AND (Physical State	HEMICAL PROPERTIES	Liquid
Form		Liquid
Colour		Clear
Odour		Solvent odor
Melting Point/Freezing Point		No data available
Boiling Point or Initial Boiling Point and Boiling Ranges		80∼150 °C
Flammability		No data available
Lower and Upper Explosio Limit / Flammability Limit	n Lower Limit	1.7vol%
	Upper Limit	11.4vol%
Flash Point		−4°C (Tag Closed Cup)
Auto-Ignition Temperatur	e	404°C
Decomposition Temperature		No data available
рH		No data available
Kinematic Viscosity		No data available
Solubility		No data available
Partition Coefficient : n− Octanol/Water		No data available
Vapour Pressure		9.493kPa (20°C)
Density and/or Relative Density		0.86
Relative Gas Density		No data available
Particle Characteristics		No data available
as Isopropyl alcohol Boiling Point or Initial Boiling Point and Boiling		82.4°C
Ranges		
Density and/or Relative Density		0.7863(20°C, 20°C)
as Methanol Melting Point/Freezing Point		−93.9°C
Boiling Point or Initial Boiling Point and Boiling Ranges		64.1°C, 59.4°C(610mmHg), 39.9°C(260mmHg), 15°C (73mmHg)
Density and/or Relative Density		0.866(-59°C/4°C), 0.81(0°C/4°C), 0.8006(10°C/4°C), 0.7910(20°C), 0.7964(15°C/15°C)
as Methyl ethyl ketone Melting Point/Freezing Point		−86.4°C

Boiling Point or Initial Boiling Point and Boiling		79.6°C
Ranges Density and∕or Relative		0.8061
Density		
as Ethanol Boiling Point or Initial Boiling Point and Boiling Ranges		78.3°C
Density and∕or Relative Density		0.7892(20°C, 4°C)
Section 10 - STABILITY AND	REACTIVITY	
Reactivity Chemical Stability Possibility of Hazardous Reaction		Does not react dangerously under nomal conditions. Stable under normal conditions of use. Flammable
Conditions to Avoid		There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances (Mixtures	or	No data available
Hazardous Decomposition Products		No data available
Other Data		No data available
Section 11 - TOXICOLOGICA	L INFORMATION	
Acute Toxicity	Oral Dermal Inhalation	Unable to classify due to insufficient data. Unable to classify due to insufficient data. (gas) Does not fall under gas based on GHS definitions.
		(vapour) Classified as Category 3 since ATE is 500 to (dust and mist)
Skin Corrosion/Irritation		Unable to classify due to insufficient data. Classified as Category 2 since the sum of Category 2
Serious Eye Damage/Eye		ingredients is more than 10%. Classified as Category 2A since the sum of Eye
Irritation Respiratory Sensitization		Category 2 ingredients is more than 10%. Unable to classify due to insufficient data.
Skin Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.
Germ Cell Mutagenicity		Classification not possible since lots of the concentrations of unknown ingredients.
Carcinogenicity		Classified as Category 1A since one of the Category 1A ingredients is more than 0.1%.
Reproductive Toxicity		(Reproductive toxicity) Classified as Category 1A since one of the Category 1A
		ingredients is more than 0.3%. (Reproductive toxicity, effects on or via lactation)
		llashis ta sissifi dua ta insufficiant data
Specific Target Organ Toxicity (Single Exposure)		Unable to classify due to insufficient data. Classified as Category 1(blood) since one of the Category 1(blood) ingredients is more than 10%.
		Classified as Category 1(visual organ) since one of the Category 1(visual organ) ingredients is more than 10%.
		Classified as Category 1(central nervous system) since one of the Category 1(central nervous system) ingredients is more than 10%.

Specific Target Organ Toxicity (Repeated Exposure)

Aspiration Hazard

Section 12 - ECOLOGICAL INFORMATION Hazardous to the Aquatic Environment, Short-Term (Acute) Hazardous to the Aquatic

Environment, Long-Term (Chronic) Ecotoxicity Persistence

Bioaccumulative Potential

Mobility in Soil Hazardous to the Ozone Layer

Section 13 - DISPOSAL CONSIDERATIONS Residual waste Classified as Category 1(central nervous system) since one of the Category 1(central nervous system) ingredients is more than 10%.

Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%. Classified as Category 3(narcotic effect) since the sum

of Category 3(narcotic effect) ingredients is more than 20%.

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.

Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%.

Classified as Category 1(visual organ) since one of the Category 1(visual organ) ingredients is more than 10%.

Classified as Category 1(central nervous system) since one of the Category 1(central nervous system) ingredients is more than 10%.

Classified as Category 1(peripheral nervous system) since one of the Category 1(peripheral nervous system) ingredients is more than 10%.

Classified as Category 2(blood) since one of the Category 2(blood) ingredients is more than 10%. Classified as Category 2(nervous system) since one of the Category 2(nervous system) ingredients is more than 10%.

Classified as Classification not possible since the kinematic viscosity is unknown.

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available No data available

No data available Unable to classify due to insufficient data.

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company. Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFO		
International Regulations	Regulatory Information by Sea	Conform to the provisions of IMO.
	UN No. Proper Shipping Name Class Packing Group Marine Pollutant Liquid Substance Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code	1210 PRINTING INK RELATED MATERIAL 3 II Not applicable Not applicable
	Regulatory Information by Air UN No.	Conform to the provisions of ICAO/IATA.
	Class	PRINTING INK RELATED MATERIAL 3 T
Regulations in Japan	Packing Group Regulatory Information by Road	II Complies with the Fire Service Act.
	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No. Proper Shipping Name Class Packing Group Marine Pollutant Liquid Substance Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code	1210 PRINTING INK RELATED MATERIAL 3 II Not applicable Not applicable
	Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
	UN No. Proper Shipping Name Class	1210 PRINTING INK RELATED MATERIAL 3
Emergency Response Guide Number	Packing Group	П 130
Section 15 - REGULATORY INF Industrial Safety and Health Act	ORMATION	Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6 the standards for work environment monitoring Article 65 part 2-1
		Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
		Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof		Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2, Order Article 18 part 2–1and part 2, Attached Table9) Ethanol(Number:61)(1%–10%) Propyl alcohol(Number:494)(less than 5%) Methanol(Number:560)(1%–10%) Methyl ethyl ketone(Number:570)(50%–60%) Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i)) Not applicable Not applicable
Act on the Regulation of Manufacture and Evaluation of Chemical Substances		Priority Assessment Chemical Substances(Article 2 part 5)
Fire Service Act Narcotics and Psychotropics Control Act Foreign Exchange and Foreign Trade Act		Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II raw materials for Narcotics or Psychotropics(Appended Table IV part 9, Order Article 4) Import Trade Control Order Appended Table I part 16 Import Trade Control Order Appended Table II (Import Approval)
Ship Safety Law Aviation Law		Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)
Section 16 - OTHER INFORMA	ΓΙΟΝ	
	Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second- class organic solvents.
		In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)
	Act on the Regulation of Manufacture and Evaluation of Chemical Substances	2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances. Isopropyl alcohol belongs to propyl alcohol. We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.
	Foreign Exchange and	The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort. In law, printing inks are not approved for export
	Foreign Trade Act Fire Service Act Poisonous and Deleterious Substances Control Act	The flash point of Class I petroleums is less than 21 $^\circ$ c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.
	RoHS Specified Substance Concentration	Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
	Allowable concentration Standards	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019

1	Δ	1	1	Δ
Τ	U	1	Т	υ

Cited Literature	1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan
	 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS(JCDB)
Additional Information about This Product:	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.