Issue 2005.08.31

Revision 2022.11.07

## Safety Data Sheet (SDS)

#### Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-1071T/Ink-T71 Product Code 1071T/JP-T71

Reference Number 17

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd.

Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Company Contact IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

ogino-masahiko@hitachi-ies.co.jp Mail Address

**Emergency Phone** 

Number

+81-294-36-8682

Recommended Use Industrial ink jet printers

## Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Skin sensitization Category 1 Germ cell mutagenicity Category 1A Reproductive toxicity Category 1A

Specific target organ toxicity (single exposure)

Category 1 (respiratory apparatus)

Specific target organ toxicity (single exposure) Category 2(kidney central nervous system) Specific target organ toxicity (single exposure) Category 3(narcotic effect respiratory tract irritation)

Specific target organ toxicity (repeated exposure) Category 1 (liver bone central nervous system peripheral nervous system)

Specific target organ toxicity (repeated exposure)

Category 2(nervous system)

Other hazards than mentioned above are Not classified

or Classification not possible.

#### **GHS Label Elements**

**Pictograms** 



Signal Word Hazard Statements

H225 Highly flammable liquid and vapour

H315 Causes skin irritation

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H340 May cause genetic defects

H360 May damage fertility or the unborn child

H370 Causes damage to respiratory apparatus

H371 May cause damage to kidney, central nervous

system

H372 Causes damage to liver, bone, central nervous system, peripheral nervous system through prolonged or repeated exposure

H373 May cause damage to nervous system through prolonged or repeated exposure

#### Precautionary Statements

Prevention

Obtain special instructions before use.(P201)

Do not handle until all safety precautions have been read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)

Keep container tightly closed.(P233) Ground and bond container and receiving equipment.(P240)

Use explosion-proof electrical, ventilating and lighting equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

 ${\tt dust/fume/gas/mist/vapours/spray.(P261)}$ 

Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264) Do not eat, drink or smoke when using this

product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Contaminated work clothing should not be allowed out of the workplace.(P272)

Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF ON SKIN: Wash with plenty of soap and water. (P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Call a doctor if you feel unwell.(P312) Get medical advice and attention if you feel unwell.(P314)

Specific treatment.(P321)

If skin irritation occurs: Get medical advice/attention.(P332+P313)

If skin irritation or rash occurs: Get medical advice/attention.(P333+P313)

If eye irritation persists: Get medical advice/attention.(P337+P313)

Take off contaminated clothing and wash it before reuse.(P362+P364)

In case of fire: Use appropriate media to extinguish.(P370+P378)

Storage Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

#### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or

Mixture

Mixture

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (%)		ENCS No.	ISHL No.	
Methyl ethyl ketone	60-70%	CH3CH2CO CH3	(2)-542	Registered	78-93-3
Cyclohexanone	10-20%	C6H10O	(3)-2376	Registered	108-94-1
Ethanol	1-10%	СН3СН2ОН	(2)-202	Registered	64-17-5
Chromium and its compounds	1-10%	_	Registered( Trade secret)	Registered( Trade secret)	Trade secret
Phenol	0.1-1%	C6H6O	(3)-481	Registered	108-95-2

#### Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing

IF exposed or concerned: Call a doctor.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs, get medical advice and

attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Eye Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Call a doctor.

Ingestion

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Use extinguishing agent suitable for type of surrounding Media

When dust occurs, use dry sand.

Unsuitable Extinguishing Cylindric water.

Media

Specific Hazards in Case of Risk of producing harmful gases such as carbon Fire monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Use goggles in combination with dust mask, and another Special Protective

**Equipment and Precautions** 

for Fire Fighters

protections as appropriate to situation.

#### Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

**Environmental Precautions** 

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Do not discharge into the drains, surface waters or

ground water directly.

small spill : absorb with material such as noncombustible materialwash thoroughly after handling

Containment and Cleaning Up

Prevention Measures for

Secondary Accidents

Storage

Methods and Equipment for

Large spills: Dike spills and dispose of in safe area. Keep away from sources of ignition and prepare

extinguishing media.

Risk of slipping. Spilled material forms slippery floor.

Do not recklessly walk on the spillage.

Section 7 - HANDLING AND STORAGE

Handling Technical Measures

Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment. Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Contaminated work clothing should not be allowed out of the workplace.

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye

protection/face protection.

Prevents Handling of Incompatible

Refer to "Section 10 - STABILITY AND REACTIVITY".

Incompatible Substances or Mixtures

Conditions for Safe

Storage

Refer to "Section 10 - STABILITY AND REACTIVITY".

Store locked up.

Store container tightly closed in well-ventilated place.

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)	
Phenol	_	5ppm(19mg/m3)(皮)	TWA 5 ppm, STEL - (Skin)	
Cyclohexanone	20ppm	25ppm(100mg/m3)	TWA 20 ppm, STEL 50 ppm	
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm	
Ethanol	_	_	TWA -, STEL 1000 ppm	
Chromium and its compounds	-	0.5mg/m3 as Cr3+	_	

Engineering Controls

Use local exhaust ventilation in case of production of

fume or mist

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity.

Personal Protective Equipment

Respiratory Protection If necessary, wear respiratory protection.

Hand Protection

Eye/Face Protection

Wear protective gloves.
Wear eye protection/face protection.

Skin and Body Protection Wear protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid
Form Liquid
Colour 茶色
Odour Solvent odor
Melting Point/Freezing No data available

Point

Boiling Point or Initial 78.3 °C

Boiling Point and Boiling

Ranges

Flammability No data available

**Upper Limit** 

Lower and Upper Explosion Lower Limit

Limit / Flammability Limit

1.1vol%

19vol%

Flash Point -4.2°C (Tag Closed Cup)

Auto-Ignition Temperature 404°C

Decomposition No data available

Temperature

pH No data available
Kinematic Viscosity No data available
Solubility No data available
Partition Coefficient: n- No data available

Octanol/Water

Vapour Pressure 9.492kPa (20°C)

Density and/or Relative 0.881

Density

Relative Gas Density
Particle Characteristics
No data available
No data available

as Phenol

Melting Point/Freezing 40.9°C

Point

Boiling Point or Initial 181.8°C Boiling Point and Boiling

Ranges

Flash Point 79°C

Density and/or Relative 1.0708(25°C/4°C), 1.0576(41°C/4°C)

Density

as Cyclohexanone

Boiling Point or Initial 155°C, 90.4°C(100mmHg), 67.8°C(40mmHg), 38.7°C

Boiling Point and Boiling (10mmHg)

Ranges

Density and/or Relative 0.9478(20°C, 4°C), 0.9421(25°C, 4°C)

Density

as Methyl ethyl ketone

Melting Point/Freezing

Point

Boiling Point or Initial 79.6°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.8061

Density as Ethanol

Boiling Point or Initial 78.3°C

**Boiling Point and Boiling** 

Ranges

Density and/or Relative 0.7892(20°C, 4°C)

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions.

-86.4°C

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Flammable

Reaction

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

source of ignition.

Incompatible Substances or No data available

**Mixtures** 

Hazardous Decomposition No data available

**Products** 

Other Data No data available

Section 11 - TOXICOLOGICAL INFORMATION

Toxicity (Single Exposure)

Acute Toxicity

Oral

Unable to classify due to insufficient data.

Dermal Unable to classify due to insufficient data.

Inhalation (gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classified as Category 4 since ATE is 2500 to

(dust and mist)

Unable to classify due to insufficient data.

Skin Corrosion/Irritation Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Serious Eye Damage/Eye Classified as Category 2A since the sum of Eye

Irritation Category 2 ingredients is more than 10%.

Respiratory Sensitization Classification not possible since lots of the

Respiratory Sensitization Glassification not possible since lots of the concentrations of unknown ingredients.

Skin Sensitization Classified as Category 1 since one of the Category 1

ingredients is more than 1.0%.

Germ Cell Mutagenicity Classified as Category 1A since one of the Category 1

ingredients is more than 0.1%.

Carcinogenicity Unable to classify due to insufficient data.

Reproductive Toxicity (Reproductive toxicity)

Classified as Category 1A since one of the Category 1

ingredients is more than 0.3%.

(Reproductive toxicity, effects on or via lactation)

Unable to classify due to insufficient data.

Specific Target Organ Classified as Category 1(respiratory apparatus) since

one of the Category 1(respiratory apparatus)

ingredients is more than 10%.

Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.
Classified as Category 2(central nervous system) since

one of the Category 2(central nervous system)

ingredients is more than 10%.

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%.

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.

Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%.

Classified as Category 1(bone) since one of the Category 1(bone) ingredients is more than 10%.

Classified as Category 1(central nervous system) since one of the Category 1(central nervous system) ingredients is more than 10%.

Classified as Category 1(peripheral nervous system) since one of the Category 1(peripheral nervous system) ingredients is more than 10%.

Classified as Category 2(nervous system) since one of the Category 2(nervous system) ingredients is more

Classified as Classification not possible since the kinematic viscosity is unknown.

Aspiration Hazard

Specific Target Organ Toxicity (Repeated

Exposure)

#### Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term

(Acute)

Hazardous to the Aquatic Environment, Long-Term (Chronic)

Ecotoxicity Persistence

Bioaccumulative Potential

Mobility in Soil

Hazardous to the Ozone

Layer

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available No data available

No data available

Unable to classify due to insufficient data.

(Waste Management Law) is applicable.

# Section 13 - DISPOSAL CONSIDERATIONS Residual waste

I waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations Regulatory Conform to the provisions of IMO.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of ICAO/IATA.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Regulations in Japan Regulatory Complies with the Fire Service Act.

Information by Road

Regulatory Conform to the provisions of the Ship Safety Law.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of the Civil Aeronautics Law.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3
Packing Group II
130

Emergency Response Guide Number

Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health

Act

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.),

Enforcement Ordinance 2 of Appendix 6

the standards for work environment monitoring Article 65  $\,$  part 2–1  $\,$ 

Dangerous or Harmful Substances Subject to Be Indicated their

Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article

Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names, etc. (Article 57 part 2, Order Article 18 part 2-1 and part 2, Attached

Table9)

Ethanol (Number: 61) (1%-10%)

Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts)(Number: 142) (1%-10%)

Cyclohexanone (Number: 231) (10%–20%)
Phenol (Number: 474) (less than 5%)
Methyl ethyl ketone (Number: 570) (60%–70%)

Corrosive liquids (article 326 of the Labour Safety and Health Rules)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the **Environment and Promotion** 

of Improvements to the Management Thereof

Not applicable

Not applicable

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Priority Assessment Chemical Substances(Article 2 part 5)

Fire Service Act

Hazardous Materials Category IV inflammable liquids Class I

petroleums non water-soluble Packing Group II

Water Pollution Prevention

Specified substances (article 2, paragraph 4 of the Act, article 3 of

the Enforcement Ordinance)

Items of environmental pollution (article 2. Ordinance of

Enforcement, article 3, Ordinance governing wastewater standards

Article 1 appendix (2)

Narcotics and

Act

raw materials for Narcotics or Psychotropics(Appended Table IV part Psychotropics Control Act 9. Order Article 4)

Foreign Exchange and

Foreign Trade Act

Import Trade Control Order Appended Table I part 16

Import Trade Control Order Appended Table II (Import Approval )

Ship Safety Law **Aviation Law** 

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

## Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.

Act on the Regulation We have a Priority Assessment Chemical Substance posting

threshold of 0.1% or more.

of Manufacture and Evaluation of Chemical Substances

The posting of a Priority Assessment Chemical Substance in SDS is

as of November 2019 as an effort.

Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act

Poisonous and Deleterious

The flash point of Class I petroleums is less than 21  $^{\circ}\,$  c. The deleterious substances is only applicable to the material, and

the mixture is non-applicable.

Substances Control Act

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP

RoHS Specified Substance Concentration

<1000ppm

Allowable concentration TLV-TWA: Threshold Limit Values-Time Weighted Average STEL

(Short Term Exposure Limit

Standards

JIS Z7253:2019

Cited Literature 1) International Chemical Safety Cards

2) National Institute of Technology and Evaluation (NITE), Japan

3) Site for Safe Workplace by Ministry of Health, Labour and

Welfare, Japan 4) EZSDS (JCDB)

about This Product:

Additional Information To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or

completeness of the information contained herein. Final

determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.