Issue 2013.09.06

Revision 2022.11.03

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-1134K Product Code 1134K Reference Number

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd.

Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

+81-294-36-8682

Company Contact IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

ogino-masahiko@hitachi-ies.co.jp Mail Address

Emergency Phone Number

Recommended Use

Industrial ink jet printers

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Carcinogenicity Category 2

Specific target organ toxicity (single exposure)

Category 2(kidney)

Specific target organ toxicity (single exposure) Category 3(narcotic effect respiratory tract irritation)

Specific target organ toxicity (repeated exposure) Category 1 (respiratory apparatus nervous system)

Other hazards than mentioned above are Not classified or Classification not possible.

GHS Label Elements

Pictograms



Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapour

> H315 Causes skin irritation H319 Causes serious eve irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H351 Suspected of causing cancer H371 May cause damage to kidney

H372 Causes damage to respiratory apparatus, nervous system through prolonged or repeated exposure

Precautionary Statements

Obtain special instructions before use.(P201) Prevention

Do not handle until all safety precautions have been

read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233)

Use explosion-proof electrical, ventilating and lighting equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264) Do not eat, drink or smoke when using this product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Wear protective gloves/protective clothing/eye protection/face protection.(P280)

Response

IF ON SKIN: Wash with plenty of soap and water.(P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Call a doctor if you feel unwell.(P312)
Get medical advice and attention if you feel unwell.(P314)

Specific treatment.(P321)

If skin irritation occurs: Get medical advice/attention.(P332+P313)

If eye irritation persists: Get medical advice/attention.(P337+P313)

Take off contaminated clothing and wash it before

reuse.(P362+P364)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Storage

Distinction of Substance or

Mixture

Mixture

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (%)		ENCS No.	ISHL No.	
Methyl ethyl ketone	75-85%	CH3CH2CO	(2)-542	Registered	78-93-3
		CH3			

Copper and its compounds	≦1	_	Registered(Registered(Trade secret
			Trade	Trade	
			secret)	secret)	
2-Methoxy-1-methylethyl	1-5%	-	(2)-3144	Registered	108-65-6
Acetate					
Carbon black	1-5%	_	_	_	1333-86-4
(benzothiazol-2- ylthio)succinic acid	≦1	_	(5)–6053	8-(7)-871	95154-01-1

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

IF exposed or concerned: Call a doctor.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Eve Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Call a doctor.

Ingestion Rinse mouth

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Use extinguishing agent suitable for type of surrounding Media

fire.

When dust occurs, use dry sand.

Unsuitable Extinguishing Cylindric water.

Specific Hazards in Case of Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases. Fire

Specific Fire Fighting Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Special Protective Use goggles in combination with dust mask, and another

Equipment and Precautions protections as appropriate to situation.

for Fire Fighters

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions. Protective Equipment and

Emergency Procedures

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Environmental Precautions Do not discharge into the drains, surface waters or

ground water directly.

Methods and Equipment for small spill: absorb with material such as non-Containment and Cleaning combustible materialwash thoroughly after handling

Uр

Large spills: Dike spills and dispose of in safe area. Prevention Measures for Keep away from sources of ignition and prepare

Secondary Accidents extinguishing media.

Risk of slipping. Spilled material forms slippery floor.

Do not recklessly walk on the spillage.

Section 7 - HANDLING AND STORAGE

Handling

Storage

Technical Measures

Provide ventilation system and use necessary personal protective equipment as described in "Section 8 $^-$ EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment. Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Prevents Handling of Incompatible

Refer to "Section 10 - STABILITY AND REACTIVITY".

Substances or Mixtures

Conditions for Safe Storage

Refer to "Section 10 - STABILITY AND REACTIVITY".

Store locked up. Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm
2-Methoxy-1-methylethyl Acetate	_	_	_
Carbon black	_	【 Dust allowable concentration 】 (Second type dust) inhalative dust 1mg/m3 Total dust 4mg/m3	TWA 3 mg/m3(I), STEL -
(benzothiazol-2- ylthio)succinic acid	-	-	-
Copper and its compounds	_	_	_

Engineering Controls

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent from static electrocity.

Personal Protective

Equipment

Respiratory Protection If necessary, wear respiratory protection.

Hand Protection

Eye/Face Protection

Wear protective gloves.
Wear eye protection/face protection.

Skin and Body

Protection

Wear protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid
Form Liquid
Colour Black
Odour Solvent odor
Melting Point/Freezing No data available

Point

Boiling Point or Initial

79.6°C

Boiling Point and Boiling

Ranges

Flammability

No data available

Lower and Upper Explosion Lower Limit

Limit / Flammability Limit

1.8vol%

0.26

Upper Limit 11.5vol%

Flash Point -6.8°C (Tag Closed Cup)

Auto-Ignition Temperature No data available

Decomposition No data available

Temperature

pH No data available
Kinematic Viscosity No data available
Solubility No data available

Partition Coefficient : n-

Octanol/Water

Vapour Pressure No data available

Density and/or Relative 0.872

Density

Relative Gas Density
Particle Characteristics
No data available
No data available

as Methyl ethyl ketone

Melting Point/Freezing -86.4°C

Point

Boiling Point or Initial 79.6°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.8061

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Flammable

Reaction

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

source of ignition. No data available

No data available

Incompatible Substances or

Hazardous Decomposition

Products

Other Data No data available

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity Oral Unable to classify due to insufficient data.

Dermal Unable to classify due to insufficient data.

Inhalation (gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classified as Category 4 since ATE is 2500 to

(dust and mist)

Unable to classify due to insufficient data.

Skin Corrosion/Irritation Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Serious Eye Damage/Eye Classified as Category 2A since the sum of Eye

Irritation Category 2A is more than 10%.

Respiratory Sensitization Unable to classify due to insufficient data.

Skin Sensitization Classification not possible since lots of the concentrations of unknown ingredients.

Germ Cell Mutagenicity Unable to classify due to insufficient data.

Carcinogenicity Classified as Category 2 since one of the Category 2

ingredients is more than 1.0%.

Reproductive Toxicity (Reproductive toxicity)

> Classification not possible since lots of the concentrations of unknown ingredients.

(Reproductive toxicity, effects on or via lactation)

Unable to classify due to insufficient data. Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Specific Target Organ Classified as Category 1(respiratory apparatus) since Toxicity (Repeated

one of the Category 1(respiratory apparatus)

ingredients is more than 10%.

Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more

Aspiration Hazard Classified as Classification not possible since the

kinematic viscosity is unknown.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term

Specific Target Organ

Toxicity (Single Exposure)

(Acute)

Exposure)

Hazardous to the Aquatic Environment, Long-Term

(Chronic)

Ecotoxicity Persistence

Bioaccumulative Potential

Mobility in Soil

Hazardous to the Ozone

Layer

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available No data available

No data available

Unable to classify due to insufficient data.

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations

Conform to the provisions of IMO.

Information by Sea

Regulatory

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable
Liquid Substance Not applicable
Transported in Bulk

According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of ICAO/IATA.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Regulations in Japan

Regulatory Complies with the Fire Service Act.

Information by Road

Regulatory Conform to the provisions of the Ship Safety Law.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

 $\begin{array}{ccc} \text{Class} & & 3 \\ \text{Packing Group} & & \mathbb{I} \end{array}$

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of the Civil Aeronautics Law.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class Packing Group

Emergency Response Guide

Number

 ${\rm I\hspace{-.1em}I}$ 130

3

Section 15 - REGULATORY INFORMATION Industrial Safety and Health

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names, etc .(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)

Carbon black (Number: 130) (less than 5%) Methyl ethyl ketone (Number: 570) (70%-80%)

Copper and its compounds (Number: 379) (less than 5%) Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the **Environment and Promotion** of Improvements to the Management Thereof

Not applicable

Not applicable

Fire Service Act

Water Pollution Prevention

Act

Narcotics and

Psychotropics Control Act Foreign Exchange and

Foreign Trade Act

Hazardous Materials Category IV inflammable liquids Class I

petroleums non water-soluble Packing Group II

Specified substances (article 2, paragraph 4 of the Act, article 3 of

the Enforcement Ordinance)

raw materials for Narcotics or Psychotropics(Appended Table IV part

9, Order Article 4)

Import Trade Control Order Appended Table I part 16

Import Trade Control Order Appended Table II (Import Approval)

Ship Safety Law **Aviation Law**

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.

Carbon black is not subject to the law for the use of elements, there is no numbered gazette.

of Manufacture and Evaluation of Chemical Substances

Act on the Regulation We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Exchange and Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act Poisonous and

The flash point of Class I petroleums is less than 21 $^\circ\,$ c. The deleterious substances is only applicable to the material, and

Deleterious Substances Control Act the mixture is non-applicable.

RoHS Specified

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm

Substance Concentration Allowable

concentration

TLV-TWA: Threshold Limit Values-Time Weighted Average STEL

(Short Term Exposure Limit

Standards Cited Literature

1) International Chemical Safety Cards

2) National Institute of Technology and Evaluation (NITE), Japan

3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan

4) EZSDS (JCDB)

JIS Z7253:2019

Additional Information about This Product:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein,

we cannot guarantee that these are the only hazards that exist.