Issue 2017.05.23 Revision 2023.03.21

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-4136K Product Code 4136K Reference Number 50

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd.

Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Company Contact IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

ogino-masahiko@hitachi-ies.co.jp Mail Address

Emergency Phone

Number

+81-294-36-8682

Recommended Use Industrial ink jet printers

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2B

Reproductive toxicity Category 2

Specific target organ toxicity (single exposure)

Category 3(narcotic effect respiratory tract irritation)

Other hazards than mentioned above are Not classified

or Classification not possible.

GHS Label Elements

Pictograms



Signal Word

Hazard Statements H225 Highly flammable liquid and vapour

H315+H320 Causes skin and eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn

child

Precautionary Statements

Prevention Obtain special instructions before use.(P201)

Do not handle until all safety precautions have been

read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233) Ground and bond container and receiving

equipment.(P240)

Use explosion-proof electrical, ventilating and lighting

equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264)

Use only outdoors or in a well-ventilated area.(P271)

Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF ON SKIN: Wash with plenty of soap and

water.(P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or

shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Call a doctor if you feel unwell.(P312)

Specific treatment.(P321)

If skin irritation occurs: Get medical advice/attention.(P332+P313)

If eye irritation persists: Get medical

advice/attention.(P337+P313)

Take off contaminated clothing and wash it before

reuse.(P362+P364)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Storage

Distinction of Substance or

Mixture

Mixture

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (%)		ENCS No.	ISHL No.	
Methyl isopropyl ketone	75-less than 85	CH3CH(CH 3)CO CH3	(2)-542	Registered	563-80-4
Chromium and its compounds	5–10	_	Trade	Registered(Trade secret)	_

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

IF exposed or concerned: Get medical advice and

attention.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

IF exposed or concerned: Get medical advice and

attention.

Specific treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Get medical advice and

attention. Rinse mouth.

Ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Get medical advice and

attention.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing

Media

Use extinguishing agent suitable for type of surrounding

fire.

When dust occurs, use dry sand.

Cylindric water.

Unsuitable Extinguishing

Media

Specific Hazards in Case of

Fire

Specific Fire Fighting

Special Protective

for Fire Fighters

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases. Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Equipment and Precautions

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Large spills :Evacuate area.

Ensure adequate ventilation.

Environmental Precautions Do not discharge into the drains, surface waters or

ground water directly.

No information available

Methods and Equipment for Containment and Cleaning

Uр

Prevention Measures for

Secondary Accidents

Keep away from sources of ignition and prepare

extinguishing media.

Section 7 - HANDLING AND STORAGE

Handling Technical Measures

Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Prevents Handling of Incompatible

Substances or **Mixtures**

Refer to "Section 10 - STABILITY AND REACTIVITY".

Keep cool.

Storage Conditions for Safe

Storage

Refer to "Section 10 - STABILITY AND REACTIVITY".

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)
Methyl isopropyl ketone	-	_	TWA 20 ppm, STEL -
Chromium and its	-	0.5mg/m3 as Cr3+	_
compounds			

Engineering Controls Use local exhaust ventilation in case of production of

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity.

Wear protective clothing.

Personal Protective

Equipment

Respiratory Protection

Hand Protection Wear protective gloves.

Eye/Face Protection

Wear eye protection/face protection.

If necessary, wear respiratory protection.

Skin and Body

Protection

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Form Liquid Colour Black Odour Solvent odor

Melting Point/Freezing -95°C (as Methyl isopropyl ketone)

Point

Boiling Point or Initial

Boiling Point and Boiling

Ranges

Flammability Flammability

Lower and Upper Explosion Lower Limit

Limit / Flammability Limit

Auto-Ignition Temperature

1.2vol% (as Methyl isopropyl ketone)

94°C (as Methyl isopropyl ketone)

Upper Limit 8vol% (as Methyl isopropyl ketone) 0.1°C (Tag Closed Cup) Flash Point

475°C(as Methyl isopropyl ketone)

Decomposition No data available

Temperature

No data available

Kinematic Viscosity 3mm2/s

Solubility water: 6g/L(as Methyl isopropyl ketone)

0.84 (as Methyl isopropyl ketone)

Partition Coefficient : n-

Octanol/Water

Vapour Pressure 5.5kPa (20°C) (as Methyl isopropyl ketone)

95°C

Density and/or Relative

Density

Relative Gas Density No data available Particle Characteristics No data available

as Methyl isopropyl ketone Boiling Point or Initial

Boiling Point and Boiling

Ranges

0.8046(16°C/4°C) Density and/or Relative

Density

Section 10 - STABILITY AND REACTIVITY

Does not react dangerously under nomal conditions. Reactivity

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Flammable

Reaction

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

source of ignition. No data available

Incompatible Substances or

Mixtures

Hazardous Decomposition No data available

Products

No data available Other Data

Section 11 - TOXICOLOGICAL INFORMATION

Classified as Not classified since Category 5 is not **Acute Toxicity**

adopted in JIS Z 7252.

Classification not possible since lots of the concentrations of unknown ingredients. Classification not possible since lots of the

Dermal concentrations of unknown ingredients.

Inhalation

Does not fall under gas based on GHS definitions.

Classified as Category 4 since ATE is 2500 to

(dust and mist)

Unable to classify due to insufficient data.

Skin Corrosion/Irritation Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Serious Eye Damage/Eye Classified as Category 2B since the sum of Eye Irritation Category 2B ingredients is more than 10%.

Unable to classify due to insufficient data. Respiratory Sensitization

Skin Sensitization Classification not possible since lots of the

concentrations of unknown ingredients.

Germ Cell Mutagenicity Classification not possible since lots of the

concentrations of unknown ingredients.

Carcinogenicity Unable to classify due to insufficient data.

Reproductive Toxicity (Reproductive toxicity)

Classified as Category 2 since one of the Category 2

ingredients is more than 3.0%.

(Reproductive toxicity, effects on or via lactation)

Unable to classify due to insufficient data.

Specific Target Organ Classified as Category 3(narcotic effect) since the sum Toxicity (Single Exposure) of Category 3(narcotic effect) ingredients is more than

20%.

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Specific Target Organ Toxicity (Repeated

Aspiration Hazard

Unable to classify due to insufficient data.

Exposure)

Unable to classify due to insufficient data.

Classification not possible since lots of the

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term

(Acute)

concentrations of unknown ingredients.

Classification not possible since lots of the

Hazardous to the Aquatic Environment, Long-Term

(Chronic) Ecotoxicity concentrations of unknown ingredients.

Ecotoxicity

Persistence

Bioaccumulative Potential

No data available

No data available

Mobility in Soil

Hazardous to the Ozone

No data available

Layer

Unable to classify due to insufficient data.

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations

Regulatory Conform to the provisions of IMO. Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3
Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of ICAO/IATA. Information by Air

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their

subsidiaries shall not be liable for the accuracy or completeness of the information described above.

UN No.

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group Π

Regulations in Japan

Regulatory Complies with the Fire Service Act.

Information by Road

Regulatory Conform to the provisions of the Ship Safety Law.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code

Regulatory Conform to the provisions of the Civil Aeronautics Law.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class Packing Group П 130

Emergency Response Guide Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health Dangerous or Harmful Substances Subject to Be Indicated their Act

Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table 9)

Hazardous Substances to be notified in terms of Whose Names, etc .(Article 57 part 2, Order Article 18 part 2-1 and part 2, Attached Table9)

Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts) (Number: 142) (1%-10%) Methyl propyl ketone (Number: 590) (70%-80%)

Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not

applicable Not applicable

Not applicable

Poisonous and Deleterious Substances Control Act

Act on Confirmation, etc. of

Release Amounts of Specific Chemical Substances in the

Fire Service Act

Environment and Promotion of Improvements to the Management Thereof

Hazardous Materials Category IV inflammable liquids Class I

petroleums non water-soluble Packing Group II

Water Pollution Prevention Specified substances (article 2, paragraph 4 of the Act, article 3 of

the Enforcement Ordinance)

Import Trade Control Order Appended Table I part 16 Foreign Exchange and

Foreign Trade Act Ship Safety Law Flammable liquids(Order Article 3,Appended Table I) **Aviation Law** Flammable liquids(Order Article 194,Appended Table I)

Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Second-class organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

3-methyl-2-butanone and Methyl isopropyl ketone are the same substances. Methyl isopropyl ketone belongs to Methyl propyl ketone

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Exchange and Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act Poisonous and Deleterious Substances Control The flash point of Class I petroleums is less than 21 $^\circ$ c. The deleterious substances is only applicable to the material, and

the mixture is non-applicable.

Act
RoHS Specified
Substance

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm

Allowable concentration Standards Cited Literature

Concentration

TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit

JIS Z7253:2019

1) International Chemical Safety Cards

- 2) National Institute of Technology and Evaluation (NITE), Japan
- 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan4) EZSDS (JCDB)

Additional Information about This Product:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein,

we cannot guarantee that these are the only hazards that exist.