Issue 2020.11.04 Revision 2023.03.22

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-4137W
Product Code 4137W
Reference Number 58

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd.

Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Company Contact IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

Mail Address ogino-masahiko@hitachi-ies.co.jp

Emergency Phone

Number

e +81-294-36-8682

Recommended Use Industrial ink jet printers

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Reproductive toxicity Category 2

Specific target organ toxicity (single exposure)

Category 3 (narcotic effect respiratory tract irritation)

Other hazards than mentioned above are Not classified

or Classification not possible.

GHS Label Elements

Pictograms



Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapour

H315 Causes skin irritation H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn

child

Precautionary Statements

Prevention Obtain special instructions before use.(P201)

Do not handle until all safety precautions have been

read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233)
Ground and bond container and receiving

equipment.(P240)

Use explosion-proof electrical, ventilating and lighting

equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264)

Use only outdoors or in a well-ventilated area.(P271)

Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF ON SKIN: Wash with plenty of soap and

water.(P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or

shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep

comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Call a doctor if you feel unwell.(P312)

Specific treatment.(P321)

If skin irritation occurs: Get medical advice/attention.(P332+P313)

If eye irritation persists: Get medical advice/attention.(P337+P313)

Take off contaminated clothing and wash it before

reuse.(P362+P364)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Storage

Distinction of Substance or

Mixture

Mixture

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (%)		ENCS No.	ISHL No.	
Methyl isopropyl ketone	50-60	CH3CH(CH 3)CO CH3	(2)-542	Registered	563-80-4
Titanium(IV) oxide	10-20	TiO2	(1)-558,(5)- 5225	Registered	13463-67-7

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

IF exposed or concerned: Get medical advice and

attention.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

IF exposed or concerned: Get medical advice and

attention.

Specific treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Get medical advice and

attention. Rinse mouth.

Ingestion IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Get medical advice and

attention.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing

Media

Use extinguishing agent suitable for type of surrounding

When dust occurs, use dry sand.

Cylindric water.

Unsuitable Extinguishing Media

Specific Hazards in Case of

Specific Fire Fighting

Special Protective

for Fire Fighters

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases. Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions. Protective Equipment and **Emergency Procedures**

Equipment and Precautions

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Environmental Precautions Do not discharge into the drains, surface waters or

> ground water directly. No information available

Methods and Equipment for

Containment and Cleaning Uр

Prevention Measures for

Secondary Accidents

Keep away from sources of ignition and prepare

extinguishing media.

Section 7 - HANDLING AND STORAGE

Handling **Technical Measures**

Provide ventilation system and use necessary personal protective equipment as described in "Section 8 -EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Keep cool.

Prevents Handling of Incompatible

Refer to "Section 10 - STABILITY AND REACTIVITY".

Substances or **Mixtures**

Refer to "Section 10 - STABILITY AND REACTIVITY".

Conditions for Safe Storage

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)
Methyl isopropyl ketone	-	_	TWA 20 ppm, STEL -
Titanium(IV) oxide	_	0.3 mg/m3; [Dust allowable concentration] (Second type dust) inhalative dust 1mg/m3 Total dust 4mg/m3	TWA 10 mg/m3, STEL -

Engineering Controls Use local exhaust ventilation in case of production of

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity.

Personal Protective

Storage

Equipment

Respiratory Protection

Hand Protection Eye/Face Protection

Wear protective gloves. Wear eye protection/face protection.

If necessary, wear respiratory protection.

Skin and Body Protection

Wear protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Form Liquid Colour White Odour Solvent odor

Melting Point/Freezing -95°C (as Methyl isopropyl ketone)

Point

Boiling Point or Initial

94°C (as Methyl isopropyl ketone)

Boiling Point and Boiling

Ranges

Flammability Flammability

Lower and Upper Explosion Lower Limit

Limit / Flammability Limit

1.2vol% (as Methyl isopropyl ketone)

8vol% (as Methyl isopropyl ketone) **Upper Limit**

Flash Point 0.8°C (Tag Closed Cup)

Auto-Ignition Temperature 475°C(as Methyl isopropyl ketone)

Decomposition No data available

Temperature

pH No data available Kinematic Viscosity 4.4mm2/s

Solubility water: 6g/L(as Methyl isopropyl ketone)
Partition Coefficient: n- 0.84 (as Methyl isopropyl ketone)

Octanol/Water

Vapour Pressure 5.5kPa (20°C) (as Methyl isopropyl ketone)

Density and/or Relative 1.03

Density

Relative Gas Density
Particle Characteristics
No data available
No data available

as Methyl isopropyl ketone

Boiling Point or Initial 95°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.8046(16°C/4°C)

Density

as Titanium(IV) oxide

Melting Point/Freezing 1640°C

Point

Decomposition =>3000°C

Temperature

Density and/or Relative 4.17, 3.84, 4.26

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Flammable

Reaction

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

source of ignition.

Incompatible Substances or No data available

Mixtures

Hazardous Decomposition No data available

Products

Other Data No data available

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity Oral Classified as Not classified since Category 5 is not

adopted in JIS Z 7252.

Dermal Classification not possible since lots of the

concentrations of unknown ingredients.

Inhalation (gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classified as Category 4 since ATE is 2500 to

20000(ppmV). (dust and mist)

Classification not possible since lots of the concentrations of unknown ingredients.

Skin Corrosion/Irritation Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Serious Eye Damage/Eye Classified as Category 2A since the sum of Eye

Irritation Category 2B + Eye Category 2 ingredients is more than

10%.

Respiratory Sensitization Classification not possible since lots of the

concentrations of unknown ingredients.

Skin Sensitization Classification not possible since lots of the

concentrations of unknown ingredients.

Germ Cell Mutagenicity Classification not possible since lots of the

concentrations of unknown ingredients.

Carcinogenicity Classification not possible since lots of the

concentrations of unknown ingredients.

Reproductive Toxicity (Reproductive toxicity)

Classified as Category 2 since one of the Category 2

ingredients is more than 3.0%.

(Reproductive toxicity, effects on or via lactation)

Classification not possible since lots of the concentrations of unknown ingredients.

Specific Target Organ

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than

20%

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Specific Target Organ

Classification not possible since lots of the concentrations of unknown ingredients.

Exposure)

Aspiration Hazard Classification not possible since lots of the

concentrations of unknown ingredients.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term

(Acute)

Hazardous to the Aquatic Environment, Long-Term

(Chronic)

Persistence
Bioaccumulative Potential

Mobility in Soil

Hazardous to the Ozone

Layer

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available No data available

No data available

Unable to classify due to insufficient data.

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts.

For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations

Regulatory Conform to the provisions of IMO.

Information by Sea

UN No.

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group П

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78. Annex II, the IBC

Code

Regulatory Conform to the provisions of ICAO/IATA.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 ${\rm I\hspace{-.1em}I}$ Packing Group

Regulations in Japan

Regulatory Complies with the Fire Service Act.

Information by Road

Conform to the provisions of the Ship Safety Law. Regulatory

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of the Civil Aeronautics Law.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group П 130

Emergency Response Guide

Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health Dangerous or Harmful Substances Subject to Be Indicated their Act

Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table 9)

Hazardous Substances to be notified in terms of Whose Names, etc .(Article 57 part 2, Order Article 18 part 2-1and part 2, Attached Table9)

Methyl propyl ketone (Number: 590) (50%-60%) Titanium(IV) oxide (Number: 191) (10%-20%)

Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not

applicable

Not applicable

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of

Specific Chemical Substances in the

Environment and Promotion of Improvements to the Management Thereof

Not applicable

Fire Service Act

Hazardous Materials Category IV inflammable liquids Class I

petroleums non water-soluble Packing Group II

Water Pollution Prevention

Specified substances (article 2, paragraph 4 of the Act, article 3 of

the Enforcement Ordinance)

Import Trade Control Order Appended Table I part 16

Foreign Exchange and Foreign Trade Act Ship Safety Law **Aviation Law**

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

3-methyl-2-butanone and Methyl isopropyl ketone are the same substances. Methyl isopropyl ketone belongs to Methyl propyl ketone.

of Manufacture and Evaluation of

Chemical Substances

Act on the Regulation We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

> The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Exchange and In law, printing inks are not approved for export

Foreign Trade Act Fire Service Act

Poisonous and

The flash point of Class I petroleums is less than 21 ° c. The deleterious substances is only applicable to the material, and

Deleterious

the mixture is non-applicable.

Substances Control

Act

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm

RoHS Specified Substance Concentration

concentration

Allowable

TLV-TWA: Threshold Limit Values-Time Weighted Average STEL

(Short Term Exposure Limit

Standards JIS Z7253:2019

Cited Literature 1) International Chemical Safety Cards

2) National Institute of Technology and Evaluation (NITE), Japan

3) Site for Safe Workplace by Ministry of Health, Labour and

Welfare, Japan 4) EZSDS (JCDB)

Additional Information To the best of our knowledge, the information contained herein is about This Product: accurate. However, neither the above named supplier nor any of it

accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.