1/10

Issue 2020.08.27 Revision 2023.09.28

Safety Data Sheet (SDS) Section 1 - CHEMICALS AND COMPANY IDENTIFICATION **Chemical Identifier** Ink-4143K Product Code 4143K **Reference Number** 61 Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd. Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken, 316-8502 Japan **Company Contact** IJP ink Group, Marking Systems and Hoist Systems Division +81-294-36-8682 Phone Number Fax Number +81-294-36-8975 ogino-masahiko@hitachi-ies.co.jp Mail Address **Emergency Phone** +81-294-36-8682 Number **Recommended Use** Industrial ink jet printers Section 2 – HAZARDS IDENTIFICATION GHS Classification of the Chemical Physicochemical Flammable liquids Category 2 Health Hazards Serious eye damage/eye irritation Category 1 Carcinogenicity Category 1A Reproductive toxicity Category 1A Specific target organ toxicity (single exposure) Category 2(systemic toxicity central nervous system) Specific target organ toxicity (single exposure) Category 3(narcotic effect respiratory tract irritation) Specific target organ toxicity (repeated exposure) Category 1 (liver) Specific target organ toxicity (repeated exposure) Category 2(blood central nervous system) Environmental Hazardous to the aquatic environment, short-term Hazards (acute) Category 3 Other hazards than mentioned above are Not classified or Classification not possible. **GHS** Label Elements Pictograms Signal Word Danger Hazard Statements H225 Highly flammable liquid and vapour H318 Causes serious eye damage H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H350 May cause cancer H360 May damage fertility or the unborn child H371 May cause damage to systemic toxicity, central nervous system H372 Causes damage to liver through prolonged or repeated exposure H373 May cause damage to blood, central nervous system through prolonged or repeated exposure H402 Harmful to aquatic life

Precautionary Statements

Prevention	Obtain special instructions before use.(P201) Do not handle until all safety precautions have been read and understood.(P202)
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)
	Keep container tightly closed.(P233) Ground and bond container and receiving
	equipment.(P240)
	Use explosion-proof electrical, ventilating and lighting equipment.(P241)
	Use non-sparking tools.(P242)
	Take action to prevent static discharges.(P243)
	Do not breathe dust/fume/gas/mist/vapours/spray.(P260)
	Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)
	Wash hand thoroughly after handling.(P264)
	Do not eat, drink or smoke when using this product.(P270)
	Use only outdoors or in a well-ventilated area.(P271)
	Avoid release to the environment.(P273) Wear protective gloves/protective clothing/eye protection/face protection.(P280)
Response	IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
	IF exposed or concerned: Call a doctor.(P308+P311)
	IF exposed or concerned: Get medical advice/attention.(P308+P313)
	Immediately call a doctor.(P310)
	Call a doctor if you feel unwell.(P312)
	Get medical advice and attention if you feel unwell.(P314)
	In case of fire: Use appropriate media to extinguish.(P370+P378)
Storage	Store in a well-ventilated place. Keep container tightly closed.(P403+P233)
	Store in a well-ventilated place. Keep cool.(P403+P235)
	Store locked up.(P405)
Disposal	Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS Distinction of Substance or Mixture

Mixture					
Chemical Name or Generic	Concentration or Its	Formula	ENCS No./I	SHL No.	CAS RN
Name	Ranges (wt%)		ENCS No.	ISHL No.	
Ethanol	30-less than 40	СН3СН2ОН	(2)-202	Registered	64-17-5
Isopropyl alcohol	<3	CH3CH(OH)CH3	(2)–207	Registered	67-63-0

n-Propyl alcohol <5	CH3CH2CH 2OH	(2)–207	Registered	71-23-8
lithium nitrate $0.1-1$ α -Methylstyrene $0.1-1$	LiNO3 C9H10	(1)-765 (3)-5,(3)-8	Registered Registered	7790-69-4 98-83-9
Chromium and its <5 compounds	-		Registered Trade secret)	Trade secret
ection 4 – FIRST AID MEASURES Inhalation		: Remove to fortable for		keep at rest in a
Skin Contact	IF exposed or concerned: Call a doctor. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.			
	IF ON SKIN:	Wash with p	lenty of soap	and water.
	If skin irritat attention.	ion occurs:	Get medical a	advice and
Eye Contact	 IF exposed or concerned: Call a doctor. Immediately call a doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a doctor. Rinse mouth. IF SWALLOWED: Call a doctor if you feel unwell. 			
Ingestion				
	IF exposed or concerned: Call a doctor.			
ection 5 – FIRE FIGHTING MEASURES Suitable Extinguishing Media	fire. When dust o	occurs, use d		ype of surrounding
Unsuitable Extinguishing Media Specific Unservice in Occor of	Cylindric water.			
Specific Hazards in Case of Fire Specific Fire Fighting	Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases. Fight fire from upwind position if possible Keep away from sources of ignition and use appropriat extinguishing media. Prohibit unauthorized staff from entering the area around the fire.			
Special Protective Equipment and Precautions for Fire Fighters	Keep unnecessary people away. Use goggles in combination with dust mask, and anothe protections as appropriate to situation.			
ection 6 – ACCIDENTAL RELEASE MEASURES Personal Precautions,				mask, and anothe
Protective Equipment and Emergency Procedures		as appropriat :Evacuate ar	te to situation ea	n.
Environmental Precautions	Ensure adeq	juate ventilat narge into the	tion.	ace waters or
Methods and Equipment for Containment and Cleaning Up	No information available			
Prevention Measures for Secondary Accidents	Keep away from sources of ignition and prepare extinguishing media.			
ection 7 - HANDLING AND STORAGE				

Handling	Technical Measures	Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".
		Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.
		Take precautionary measures against static discharge.
		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Precautio Handling	Precautions for Safe	Keep cool.
	Handling	Do not breathe dust/fume/gas/mist/vapours/spray.
		Do not eat, drink or smoke when using this product.
		Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 - STABILITY AND REACTIVITY".
Storage	Conditions for Safe Storage	Refer to "Section 10 - STABILITY AND REACTIVITY".
	<u> </u>	Store locked up. Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)
Isopropyl alcohol	200ppm	【 Maximum allowable concentration 】 400ppm (980mg/m3)	TWA 200 ppm, STEL 400 ppm
Ethanol	_	-	TWA -, STEL 1000 ppm
n-Propyl alcohol	-	-	TWA 100 ppm, STEL -
α –Methylstyrene	-	-	TWA 10 ppm, STEL -
lithium nitrate	-	-	-
Chromium and its compounds	-	0.5mg/m3 as Cr3+	-
Engineering Controls		Use local exhaust ventila fume or mist.	tion in case of production of
		0	ing this material should be h facility and a safety shower.
		Use explosion-proof elec from static electrocity.	trical equipment and prevent
Personal Protective Equipment	Respiratory Protection	If necessary, wear respire	atory protection.
	Hand Protection	Wear protective gloves.	
	Eye/Face Protection	Wear eye protection/fac	e protection.
	Skin and Body	Wear protective clothing.	

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Liquid

Form		Liquid
Colour		Black Salvent adar
Odour Melting Point/Freezing		Solvent odor −114.5 °C(as Ethanol)
Point		
Boiling Point or Initial Boiling Point and Boiling Ranges		78.3°C(as Ethanol)
Flammability		Flammability
Lower and Upper Explosion	Lower Limit	3.3vol% (as Ethanol)
Limit / Flammability Limit		
	Upper Limit	19vol% (as Ethanol)
Flash Point		8°C (Tag Closed Cup)
Auto-Ignition Temperature		363°C (as Ethanol)
Decomposition		No data available
Temperature		
рН		No data available
Kinematic Viscosity		4.3mm2/s
Solubility		water soluble in any(as Ethanol)
Partition Coefficient : n-		–0.31 (as Ethanol)
Octanol/Water		
Vapour Pressure		5.9kPa (20°C)(as Ethanol)
Density and/or Relative		0.85
Density		
Relative Gas Density Particle Characteristics		1.59 (Air=1, as Ethanol) No data available
Farticle Unaracteristics		
as Isopropyl alcohol		
Boiling Point or Initial		82.4°C
Boiling Point and Boiling		
Ranges		
Density and/or Relative		0.7863(20°C, 20°C)
Density		
as Ethanol		
Boiling Point or Initial		78.3°C
Boiling Point and Boiling		
Ranges		
Density and/or Relative		0.7892(20°C, 4°C)
Density		
as n-Propyl alcohol		
Boiling Point or Initial Boiling Point and Boiling		97.4°C, 49.92°C(90mmHg), 30.35°C(28.5mmHg)
Boiling Point and Boiling Ranges		
Density and/or Relative		0.8035(20°C/4°C)
Density and of Relative		
as α -Methylstyrene		
Boiling Point or Initial		161~162°C, 54.5~55°C(14mmHg)
Boiling Point and Boiling		
Ranges		
Density and/or Relative		0.9134(17.4°C/4°C)
Density		
as lithium nitrate Melting Point/Freezing		261°C
Point		
Decomposition		600°C
Temperature		
Kinematic Viscosity		0mm2/S(40°C)
Density and/or Relative		2.37(20°C, 4°C)
Density		

Section 10 - STABILITY AND	REACTIVITY	
Reactivity	REACTIVITY	Does not react dangerously under nomal conditions.
Chemical Stability		Stable under normal conditions of use.
Possibility of Hazardous Reaction		Flammable
Conditions to Avoid		There is a risk of explosion due to impacts, friction, flame and other
		source of ignition.
Incompatible Substances o	or	No data available
Mixtures Hazardous Decomposition		No data available
Products		
Other Data		No data available
Section 11 - TOXICOLOGICA		
Acute Toxicity	Oral	Classification not possible since lots of the
		concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas)
	Indiation	Does not fall under gas based on GHS definitions.
		(vapour)
		Classification not possible since lots of the
		concentrations of unknown ingredients.
		(dust and mist) Unable to classify due to insufficient data.
Skin Corrosion/Irritation		Classification not possible since lots of the
		concentrations of unknown ingredients.
Serious Eye Damage/Eye Irritation		Classified as Category 1 since the sum of Eye Category 1 ingredients is more than 3%.
Respiratory Sensitization		Classification not possible since lots of the
		concentrations of unknown ingredients.
Skin Sensitization		Classification not possible since lots of the
		concentrations of unknown ingredients.
Germ Cell Mutagenicity		Classification not possible since lots of the concentrations of unknown ingredients.
Carcinogenicity		Classified as Category 1A since one of the Category 1A
		ingredients is more than 0.1%.
Reproductive Toxicity		(Reproductive toxicity) Classified as Category 1A since one of the Category 1A
		ingredients is more than 0.3%.
		(Reproductive toxicity, effects on or via lactation)
		Classification not possible since lots of the concentrations of unknown ingredients.
		concentrations of unknown ingredients.
Specific Target Organ		Classified as Category 2(systemic toxicity) since one of
Toxicity (Single Exposure)		the Category 1(systemic toxicity) ingredients is 1 to
		Classified as Category 2(central nervous system) since one of the Category 1(central nervous system)
		ingredients is 1 to 10%.
		Classified as Category 3(narcotic effect) since the sum
		of Category 3(narcotic effect) ingredients is more than 20%.
		20%. Classified as Category 3(respiratory tract irritation)
		since the sum of Category 3(respiratory tract irritation)
		ingredients is more than 20%.

Specific Target Organ Toxicity (Repeated		Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%.
Exposure)		Classified as Category 2(central nervous system) since one of the Category 2(central nervous system) ingredients is more than 10%.
		Classified as Category 2(blood) since one of the Category 1(blood) ingredients is 1 to 10%.
Aspiration Hazard		Unable to classify due to insufficient data.
ction 12 - ECOLOGICAL INF	ORMATION	
Hazardous to the Aquatic Environment, Short-Term (Acute)		Classified as Category 3 since the sum of $(M \times 100 \times Category 1) + (10 \times Category 2) + Category 3$ ingredients is more than 25%.
Hazardous to the Aquatic Environment, Long-Term (Chronic)		Classification not possible since lots of the concentrations of unknown ingredients.
Ecotoxicity		No data available
Persistence		No data available
Bioaccumulative Potential		No data available
Mobility in Soil		No data available
Hazardous to the Ozone Layer		Unable to classify due to insufficient data.
Layon		
ction 13 – DISPOSAL CONSI	DERATIONS Residual waste	Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible material the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.
		Either appropriately process in accordance with Waste Managemen and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.
		Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts.
		For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.
		When incinerating of waste materials, etc., do not use an incinerato without cleaning equipment, as harmful gas will be generated.
		Clarify the contents of waste materials and entrust disposal to a waste disposal company.
	Contaminated containe	Empty containers should be treated as industrial wastes and not allowed to contain waste.
ction 14 - TRANSPORT INFO	RMATION	
International Regulations	Regulatory Information by Sea	Conform to the provisions of IMO.
	UN No.	1210
	Proper Shipping Name Class	PRINTING INK RELATED MATERIAL 3
	Packing Group	П
	Marine Pollutant	Not applicable
	Liquid Substance Transported in Bulk According to	Not applicable

	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
	UN No.	1210
		PRINTING INK RELATED MATERIAL 3
	Packing Group	П
Regulations in Japan	Regulatory Information by Road	Complies with the Fire Service Act.
	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No.	1210
		PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	П
	Marine Pollutant	Not applicable
	Liquid Substance Transported in Bulk According to	Not applicable
	MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	Π
Emergency Response Guide Number		130
tion 15 - REGULATORY INF		
 Industrial Safety and Health Act		the standards for work environment monitoring Article 65 $$ part 2–1 $$
		Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.
		(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
		Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)
		Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)
		α -Methylstyrene(Number: 36) (less than 5%) Ethanol(Number: 61) (30%-40%)
		Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts)(Number:142) (less than 5%)
		Propyl alcohol(Number:494)(1%–10%)
		lithium nitrate(less than 1%)
		Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))
		Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not applicable
Poisonous and Deleterious		Not applicable
Substances Control Act Act on Confirmation, etc. of		Not applicable
Release Amounts of Specific Chemical Substances in the		
Environment and Promotion of Improvements to the Management Thereof		
management increut		

Act on the Regulation of Manufacture and Evaluation of Chemical Substances		Mmonitoring chemical substances (Article 2, Paragraph 4 of the Act)
Fire Service Act Water Pollution Prevention Act		Priority Assessment Chemical Substances(Article 2 part 5) Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II Hazardous substances (Article 2, Ordinance of Enforcement, article 2, Ordinance 1) that prescribe wastewater standards) Specified substances (article 2, paragraph 4 of the Act, article 3 of
Foreign Exchange and Foreign Trade Act		the Enforcement Ordinance) Import Trade Control Order Appended Table I part 16
Ship Safety Law Aviation Law		Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)
Section 16 - OTHER INFORMA	TION	
	Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second- class organic solvents.
		In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)
		In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.
	Act on the Regulation of Manufacture and Evaluation of Chemical Substances	Isopropyl alcohol belongs to propyl alcohol. We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.
		The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
	Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
	Fire Service Act Poisonous and Deleterious Substances Control Act	The flash point of Class I petroleums is less than 21 $^\circ$ c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.
	RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
	Allowable concentration Standards Cited Literature	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019 1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan
		 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS (JCDB)

Additional Information about This Product: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.