Issue 2022.7.21

Revision 2022.11.10

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-4147F Product Code 4147F Reference Number 63

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd.

Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Company Contact IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

ogino-masahiko@hitachi-ies.co.jp Mail Address

Number

Emergency Phone +81-294-36-8682

Recommended Use Industrial ink jet printers

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2 Health Hazards

Serious eye damage/eye irritation Category 2A

Carcinogenicity Category 1A Reproductive toxicity Category 1A

Specific target organ toxicity (single exposure) Category 2(systemic toxicity central nervous system)

Specific target organ toxicity (single exposure) Category 3(narcotic effect respiratory tract irritation)

Specific target organ toxicity (repeated exposure) Category 1 (liver)

Specific target organ toxicity (repeated exposure) Category 2(blood central nervous system)

Other hazards than mentioned above are Not classified or Classification not possible.

GHS Label Elements

Pictograms



Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapour

> H319 Causes serious eve irritation H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H350 May cause cancer

H360 May damage fertility or the unborn child H371 May cause damage to systemic toxicity, central

nervous system

H372 Causes damage to liver through prolonged or

repeated exposure

H373 May cause damage to blood, central nervous system through prolonged or repeated exposure

Precautionary Statements

Prevention Obtain special instructions before use.(P201)

Do not handle until all safety precautions have been read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233) Ground and bond container and receiving equipment.(P240)

Use explosion-proof electrical, ventilating and lighting equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261)
Wash hand thoroughly after handling.(P264)
Wash eye thoroughly after handling.(P264)
Do not eat, drink or smoke when using this product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Call a doctor if you feel unwell.(P312) Get medical advice and attention if you feel unwell.(P314)

If eye irritation persists: Get medical advice/attention.(P337+P313)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Storage Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or

Mixture

Mixture

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (%)		ENCS No.	ISHL No.	
Ethanol	20-30	СН3СН2ОН	(2)-202	Registered	64-17-5
Isopropyl alcohol	1-3	CH3CH(OH)CH3	(2)-207	Registered	67-63-0

n-Propyl alcohol	1-3	CH3CH2CH 2OH	(2)–207	Registered	71-23-8
dimethyl carbonate	60-70	CH3OCOO CH3	(2)-2853	Registered	616-38-6
Nitrocellulose	3-5	_	(8)-176	Registered	9004-70-0

Section 4 - FIRST AID MEASURES

IF INHALED: Remove to fresh air and keep at rest in a Inhalation

position comfortable for breathing.

IF exposed or concerned: Call a doctor.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

IF exposed or concerned: Call a doctor.

Eye Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Call a doctor.

Ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Use extinguishing agent suitable for type of surrounding

fire.

When dust occurs, use dry sand.

Unsuitable Extinguishing Cylindric water.

Media

Media

Specific Hazards in Case of Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Use goggles in combination with dust mask, and another

Special Protective Equipment and Precautions protections as appropriate to situation.

for Fire Fighters

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and

Emergency Procedures

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Environmental Precautions Do not discharge into the drains, surface waters or

> ground water directly. No information available

Methods and Equipment for Containment and Cleaning

Uр

Prevention Measures for Keep away from sources of ignition and prepare

Secondary Accidents extinguishing media.

Section 7 - HANDLING AND STORAGE

Handling **Technical Measures** Provide ventilation system and use necessary personal

protective equipment as described in "Section 8 EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Prevents Handling of

Incompatible Substances or **Mixtures**

Refer to "Section 10 - STABILITY AND REACTIVITY".

Conditions for Safe

Storage

Refer to "Section 10 - STABILITY AND REACTIVITY".

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration	Exposure Limits (Japan	Exposure Limits (ACGIH)
	Level	Society for	
		Occupational Health)	
Isopropyl alcohol	200ppm	【 Maximum allowable concentration 】 400ppm (980mg/m3)	TWA 200 ppm, STEL 400 ppm
Nitrocellulose	-	_	_
dimethyl carbonate	-	_	_
Ethanol	_	-	TWA -, STEL 1000 ppm
n-Propyl alcohol	_	_	TWA 100 ppm, STEL -

Engineering Controls Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity

Personal Protective

Equipment

Storage

Respiratory Protection

If necessary, wear respiratory protection.

Hand Protection

Wear protective gloves. Eye/Face Protection Wear eye protection/face protection.

Skin and Body Protection

Wear protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Liquid Form Colour Clear Odour Solvent odor

Melting Point/Freezing

Point

4.6 °C (as Dimethyl carbonate)

Boiling Point or Initial 90.3 °C (as Dimethyl carbonate)

Boiling Point and Boiling

Ranges

Flammability

Lower and Upper Explosion Lower Limit 4.2vol% (as Dimethyl carbonate)

Limit / Flammability Limit

Upper Limit 12.9vol% (as Dimethyl carbonate)

Flash Point 7.3°C (Tag Closed Cup)

Auto-Ignition Temperature 458°C (as Dimethyl carbonate)

Decomposition No data available

Temperature

pH No data available

Kinematic Viscosity 3mm2/s

Solubility water-solubility139g/L (20°C) (as Dimethyl carbonate)

0.99

Partition Coefficient : n- No data available

Octanol/Water

Vapour Pressure 7.38kPa (20°C)(as Dimethyl carbonate)

Density and/or Relative

Density

Relative Gas Density 3.1 (air=1)(as Dimethyl carbonate)

Particle Characteristics No data available

as Isopropyl alcohol

Boiling Point or Initial 82.4°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.7863(20°C, 20°C)

Density

as dimethyl carbonate

Melting Point/Freezing 0.5°C

Point

Boiling Point or Initial 90~91°C

Boiling Point and Boiling

Ranges

Density and/or Relative 1.0702(20°C/4°C)
Density

as Ethanol

Boiling Point or Initial

Boiling Point and Boiling

Ranges

Density and/or Relative 0.7892(20°C, 4°C)

Density

as n-Propyl alcohol

Boiling Point or Initial 97.4°C, 49.92°C(90mmHg), 30.35°C(28.5mmHg)

78.3°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.8035(20°C/4°C)

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Flammable

Reaction

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

source of ignition. No data available

Incompatible Substances or

Mixtures

Hazardous Decomposition No data available

Products

Other Data No data available

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity Oral Classification not possible since lots of the

concentrations of unknown ingredients

Dermal Classification not possible since lots of the

concentrations of unknown ingredients.

Inhalation (gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

Serious Eye Damage/Eye

Skin Corrosion/Irritation

Irritation

Respiratory Sensitization

Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

Reproductive Toxicity

Specific Target Organ

Toxicity (Single Exposure)

Specific Target Organ

Toxicity (Repeated Exposure)

Aspiration Hazard

Section 12 - ECOLOGICAL INFORMATION Hazardous to the Aquatic Environment, Short-Term

Hazardous to the Aquatic Environment, Long-Term

(Chronic) **Ecotoxicity**

Persistence

(dust and mist) Unable to classify due to insufficient data.

Classified as Category 2A since the sum of 10 × (Eye Category 1 + Skin Category 1) is more than 10%.

Unable to classify due to insufficient data. Classification not possible since lots of the

concentrations of unknown ingredients.

Unable to classify due to insufficient data.

Classified as Category 1A since one of the Category 1A

ingredients is more than 0.1%.

(Reproductive toxicity)

Classified as Category 1A since one of the Category 1A

ingredients is more than 0.3%.

(Reproductive toxicity, effects on or via lactation)

Unable to classify due to insufficient data.

Classified as Category 2(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is 1 to

Classified as Category 2(central nervous system) since one of the Category 1(central nervous system)

ingredients is 1 to 10%.

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%.

Classified as Category 2(central nervous system) since one of the Category 2(central nervous system)

ingredients is more than 10%.

Classified as Category 2(blood) since one of the Category 1(blood) ingredients is 1 to 10%. Unable to classify due to insufficient data.

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available

Bioaccumulative Potential

No data available

Mobility in Soil

No data available

Hazardous to the Ozone

Unable to classify due to insufficient data.

Layer

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations

Regulatory

Conform to the provisions of IMO.

Information by Sea

UN No. 121

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of ICAO/IATA.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Regulations in Japan

Regulatory Complies with the Fire Service Act.

Information by Road

Regulatory Conform to the provisions of the Ship Safety Law.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable

Liquid Substance

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Conform to the provisions of the Civil Aeronautics Law.

Regulatory Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Not applicable

Class Packing Group II130

Emergency Response Guide

Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health

Act

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their

Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Hazardous and Explosive Products (Enforcement Ordinance

Appendix 1 No. 1)

Dangerous Goods and Flammable Objects (Enforcement Ordinance Appendix 1 No. 2)

Dangerous Substances -Flammable substances(Order Article

Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names, etc (Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached

Table9)

Ethanol (Number: 61) (20%-30%)

Nitrocellulose (Number: 424) (less than 5%) Propyl alcohol (Number: 494) (1%-10%) dimethyl carbonate(Number: No Number))

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not

applicable

Not applicable

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of

Release Amounts of Specific Chemical Substances in the

Environment and Promotion of Improvements to the Management Thereof

Not applicable

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Priority Assessment Chemical Substances(Article 2 part 5)

Fire Service Act

Hazardous Materials Category IV inflammable liquids Class I

petroleums non water-soluble Packing Group II

Hazardous substances (Article 2, Ordinance of Enforcement, article

2, Ordinance 1) that prescribe wastewater standards) Import Trade Control Order Appended Table I part 1

Act Foreign Exchange and

Water Pollution Prevention

Foreign Trade Act

Import Trade Control Order Appended Table I part 16 Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

Ship Safety Law **Aviation Law**

Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

Isopropyl alcohol belongs to propyl alcohol.

dimethyl carbonate, DMC and Carbonic Acid Dimethyl Ester is the

same substance.

of Manufacture and Evaluation of Chemical Substances

Act on the Regulation We have a Priority Assessment Chemical Substance posting

threshold of 0.1% or more.

The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act Poisonous and **Deleterious**

The flash point of Class I petroleums is less than 21 $^{\circ}\,$ c. The deleterious substances is only applicable to the material, and

the mixture is non-applicable.

Substances Control

RoHS Specified Substance Concentration

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm

Allowable concentration Standards Cited Literature TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit

JIS Z7253:2019

1) International Chemical Safety Cards

- 2) National Institute of Technology and Evaluation (NITE), Japan
- 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS (JCDB)

Additional Information about This Product:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.