Issue 2023.05.10 Revision 2023.09.28

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-4151K Product Code 4151K Reference Number

Name of Supplier Hitachi Industrial Equipment Systems Co., Ltd.

Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Company Contact IJP ink Group, Marking Systems and Hoist Systems Division

+81-294-36-8682 Phone Number Fax Number +81-294-36-8975

ogino-masahiko@hitachi-ies.co.jp Mail Address +81-294-36-8682

Emergency Phone Number

Recommended Use Industrial ink jet printers

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Serious eye damage/eye irritation Category 1

> Carcinogenicity Category 1A Reproductive toxicity Category 1A

Specific target organ toxicity (single exposure) Category 2(systemic toxicity central nervous system)

Specific target organ toxicity (single exposure) Category 3 (narcotic effect respiratory tract irritation)

Specific target organ toxicity (repeated exposure)

Category 1 (liver)

Specific target organ toxicity (repeated exposure) Category 2 (blood central nervous system)

Environmental Hazards

Hazardous to the aquatic environment, short-term

(acute) Category 3

Other hazards than mentioned above are Not classified

or Classification not possible.

GHS Label Elements

Pictograms



Signal Word

Hazard Statements H225 Highly flammable liquid and vapour

Danger

H318 Causes serious eye damage H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H350 May cause cancer

H360 May damage fertility or the unborn child H371 May cause damage to systemic toxicity, central

nervous system

H372 Causes damage to liver through prolonged or

repeated exposure

H373 May cause damage to blood, central nervous system through prolonged or repeated exposure

H402 Harmful to aquatic life

Precautionary Statements

Prevention

Obtain special instructions before use.(P201) Do not handle until all safety precautions have been

read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233) Ground and bond container and receiving equipment.(P240)

Use explosion-proof electrical, ventilating and lighting equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Do not eat, drink or smoke when using this

product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Avoid release to the environment.(P273) Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep

comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical advice/attention.(P308+P313) Immediately call a doctor.(P310) Call a doctor if you feel unwell.(P312) Get medical advice and attention if you feel unwell.(P314)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Storage Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Mixture

| Chemical Name or Generic | Concentration or Its | Formula | ENCS No./ISHL No. | | CAS RN |
|--------------------------|----------------------|------------------|-------------------|------------|---------|
| Name | Ranges (wt%) | | ENCS No. | ISHL No. | |
| Ethanol | 30-less than 40 | СН3СН2ОН | (2)-202 | Registered | 64-17-5 |
| Isopropyl alcohol | <3 | CH3CH(OH)CH3 | (2)-207 | Registered | 67-63-0 |

| n-Propyl alcohol | <5 | CH3CH2CH 2OH | (2)–207 | Registered | 71-23-8 |
|----------------------------|-------|-----------------|---------|---------------------------------|--------------|
| lithium nitrate | 0.1-1 | LiNO3 | (1)-765 | Registered | 7790-69-4 |
| Chromium and its compounds | <5 | _ | Trade | Registered(Trade secret) | Trade secret |

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

IF exposed or concerned: Call a doctor.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

IF exposed or concerned: Call a doctor.

Eye Contact Immediately call a doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

IF exposed or concerned: Call a doctor.

Ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Use extinguishing agent suitable for type of surrounding

fire.

When dust occurs, use dry sand.

Unsuitable Extinguishing Cylindric water.

Media

Media

Specific Hazards in Case of

Fire

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting

Fight fire from upwind position if possible

ecific Fire Fighting Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and

Equipment and Precautions

Emergency Procedures

Special Protective

for Fire Fighters

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Environmental Precautions Do not discharge into the drains, surface waters or

ground water directly.

No information available

Methods and Equipment for Containment and Cleaning

Up

Prevention Measures for Keep away from sources of ignition and prepare

Secondary Accidents extinguishing media.

Section 7 - HANDLING AND STORAGE

Handling Technical Measures Provide ventilation system and use necessary personal

protective equipment as described in "Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Prevents Handling of

Incompatible Substances or Refer to "Section 10 - STABILITY AND REACTIVITY".

Mixtures
Conditions for Safe

Storage

Refer to "Section 10 - STABILITY AND REACTIVITY".

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

| | Japan Administration Level | Exposure Limits (Japan Society for Occupational Health) | Exposure Limits (ACGIH) |
|----------------------------|-------------------------------|---|---------------------------|
| Isopropyl alcohol | 200ppm | [Maximum allowable concentration] 400ppm (980mg/m3) | TWA 200 ppm, STEL 400 ppm |
| Ethanol | _ | - | TWA -, STEL 1000 ppm |
| n-Propyl alcohol | _ | _ | TWA 100 ppm, STEL - |
| lithium nitrate | _ | - | _ |
| Chromium and its compounds | - | 0.5mg/m3 as Cr3+ | _ |

Engineering Controls

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity.

Personal Protective Equipment

Storage

Respiratory Protection If necessary, wear respiratory protection.

Hand Protection
Eye/Face Protection

Wear protective gloves.
Wear eye protection/face protection.

Skin and Body
Protection

Wear protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid
Form Liquid
Colour Black
Odour Solvent odor

Melting Point/Freezing

-114.5 °C (as Ethanol)

Point

Boiling Point or Initial

Boiling Point and Boiling

Ranges

Flammability
Lower and Upper Explosion Lower Limit

Flammability
3.3vol% (as Ethanol)

Limit / Flammability Limit

Upper Limit 19vol% (as Ethanol)

78.3°C (as Ethanol)

Flash Point 8.3°C (Tag Closed Cup)
Auto-Ignition Temperature 363°C (as Ethanol)

Decomposition No data available

Temperature

pH No data available Kinematic Viscosity 4.3mm2/s

Solubility water soluble in any(as Ethanol)

Partition Coefficient : n- -0.31 (as Ethanol)

Octanol/Water

Vapour Pressure 5.9kPa (20°C)(as Ethanol)

Density and/or Relative 0.946

Density

Relative Gas Density

1.59 (Air=1, as Ethanol)

Particle Characteristics

No data available

as Isopropyl alcohol

Boiling Point or Initial 82.4°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.7863(20°C, 20°C)

Density

as Ethanol

Boiling Point or Initial 78.3°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.7892(20°C, 4°C)

Density

as n-Propyl alcohol

Boiling Point or Initial 97.4°C , $49.92^{\circ}\text{C}(90\text{mmHg})$, $30.35^{\circ}\text{C}(28.5\text{mmHg})$

Boiling Point and Boiling

Ranges

Density and/or Relative 0.8035(20°C/4°C)

Density

as lithium nitrate

Melting Point/Freezing 261°C

Point

Decomposition 600°C

Temperature

Kinematic Viscosity $0 \text{mm2/S}(40^{\circ}\text{C})$ Density and/or Relative $2.37(20^{\circ}\text{C}, 4^{\circ}\text{C})$

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Flammable

Reaction

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

source of ignition.

Incompatible Substances or

Mixtures

No data available

Hazardous Decomposition

Products Other Data No data available

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity

Oral

Dermal

Classification not possible since lots of the

concentrations of unknown ingredients.

Classification not possible since lots of the

concentrations of unknown ingredients.

Inhalation (gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classification not possible since lots of the concentrations of unknown ingredients.

(dust and mist)

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

Skin Corrosion/Irritation

Serious Eye Damage/Eye

Respiratory Sensitization

Irritation

Classified as Category 1 since the sum of Eye Category

1 ingredients is more than 3%.

Classification not possible since lots of the concentrations of unknown ingredients.

Skin Sensitization

Classification not possible since lots of the concentrations of unknown ingredients.

Germ Cell Mutagenicity

Classification not possible since lots of the concentrations of unknown ingredients.

Carcinogenicity

Classified as Category 1A since one of the Category 1A

ingredients is more than 0.1%.

Reproductive Toxicity

(Reproductive toxicity)

Classified as Category 1A since one of the Category 1A

ingredients is more than 0.3%.

(Reproductive toxicity, effects on or via lactation)

Classification not possible since lots of the concentrations of unknown ingredients.

Specific Target Organ Toxicity (Single Exposure) Classified as Category 2(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is 1 to

10%.

Classified as Category 2(central nervous system) since one of the Category 1(central nervous system)

ingredients is 1 to 10%.

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than

20%.

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Specific Target Organ Toxicity (Repeated Exposure) Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%.

Classified as Category 2(central nervous system) since one of the Category 2(central nervous system)

ingredients is more than 10%.

Classified as Category 2(blood) since one of the Category 1(blood) ingredients is 1 to 10%.

Aspiration Hazard

Classification not possible since lots of the concentrations of unknown ingredients.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term

(Acute)

Hazardous to the Aquatic Environment, Long-Term

(Chronic)

Ecotoxicity
Persistence
Bioaccumulative Potential

Mobility in Soil

Hazardous to the Ozone

Layer

Classified as Category 3 since the sum of (M \times 100 \times

Category 1) + (10 × Category 2) + Category 3

ingredients is more than 25%.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available

No data available

No data available

Unable to classify due to insufficient data.

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations

Regulatory Information by Sea Conform to the provisions of IMO.

UN No. 1

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of ICAO/IATA.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Π Packing Group

Regulations in Japan

Regulatory Complies with the Fire Service Act.

Information by Road

Regulatory Conform to the provisions of the Ship Safety Law.

Information by Sea

UN No.

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group П

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of the Civil Aeronautics Law.

Information by Air

UN No.

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II130

Emergency Response Guide

Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health

Act

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their

Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names, etc .(Article 57 part 2, Order Article 18 part 2-1 and part 2, Attached Table9)

Ethanol (Number: 61) (30%-40%)

Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts)(Number: 142) (less than 5%)

Propyl alcohol (Number: 494) (1%-10%)

lithium nitrate(less than 1%)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not

applicable

Not applicable

Not applicable

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical

Substances in the **Environment and Promotion** of Improvements to the Management Thereof

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Mmonitoring chemical substances (Article 2, Paragraph 4 of the Act)

Fire Service Act

Water Pollution Prevention

Foreign Exchange and Foreign Trade Act Ship Safety Law

Aviation Law

Priority Assessment Chemical Substances(Article 2 part 5) Hazardous Materials Category IV inflammable liquids Class I

petroleums non water-soluble Packing Group II

Hazardous substances (Article 2, Ordinance of Enforcement, article

2, Ordinance 1) that prescribe wastewater standards)

Specified substances (article 2, paragraph 4 of the Act, article 3 of

the Enforcement Ordinance)

Import Trade Control Order Appended Table I part 16

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.

Isopropyl alcohol belongs to propyl alcohol.

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act Poisonous and **Deleterious** Substances Control

Act

The flash point of Class I petroleums is less than 21 $^{\circ}\,$ c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.

RoHS Specified Substance

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm

Concentration Allowable concentration Standards

TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit

JIS Z7253:2019

1) International Chemical Safety Cards Cited Literature

2) National Institute of Technology and Evaluation (NITE), Japan

3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan

4) EZSDS (JCDB)

about This Product:

Additional Information To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.