Issue 2014.05.19 Revision 2022.10.05

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-K117/Ink-1117K Product Code JP-K117/1117K

Reference Number 40

Hitachi Industrial Equipment Systems Co.,Ltd. Name of Supplier

Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Company Contact IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

ogino-masahiko@hitachi-ies.co.jp Mail Address

Emergency Phone +81-294-36-8682

Number

Recommended Use Industrial ink jet printers

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A Specific target organ toxicity (single exposure)

Category 2(kidney)

Specific target organ toxicity (single exposure)

Category 3(narcotic effect respiratory tract irritation)

Specific target organ toxicity (repeated exposure)

Category 1 (nervous system)

Hazardous to the aquatic environment, short-term Environmental Hazards

(acute) Category 2

Other hazards than mentioned above are Not classified

or Classification not possible.

GHS Label Elements

Pictograms



Signal Word

Hazard Statements H225 Highly flammable liquid and vapour

> H315 Causes skin irritation H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H371 May cause damage to kidney

H372 Causes damage to nervous system through

prolonged or repeated exposure H401 Toxic to aquatic life

Precautionary Statements

Prevention Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233) Ground and bond container and receiving

equipment.(P240)

Use explosion-proof electrical, ventilating and lighting equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264) Do not eat, drink or smoke when using this

product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Avoid release to the environment.(P273)
Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF ON SKIN: Wash with plenty of soap and water.(P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

Call a doctor if you feel unwell.(P312)
Get medical advice and attention if you feel unwell.(P314)

Specific treatment.(P321)

If skin irritation occurs: Get medical advice/attention.(P332+P313)
If eye irritation persists: Get medical advice/attention.(P337+P313)

Take off contaminated clothing and wash it before

reuse.(P362+P364)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Storage Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Mixture

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (%)		ENCS No.	ISHL No.	
Methyl ethyl ketone	75-less than 85	CH3CH2CO CH3	(2)-542	Registered	78-93-3
Chromium and its compounds	3-5		Trade	Registered(Trade secret)	_

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

IF exposed or concerned: Call a doctor.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Call a doctor.

Ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Use extinguishing agent suitable for type of surrounding

fire.

When dust occurs, use dry sand.

Cylindric water.

Unsuitable Extinguishing

Media

Media

Specific Hazards in Case of

Fire

Specific Fire Fighting

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Fight fire from upwind position if possible Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Special Protective

Equipment and Precautions

Section 6 - ACCIDENTAL RELEASE MEASURES

for Fire Fighters

Personal Precautions.

Protective Equipment and

Use goggles in combination with dust mask, and another

Use goggles in combination with dust mask, and another protections as appropriate to situation.

protections as appropriate to situation.

Emergency Procedures

Large spills :Evacuate area.

Ensure adequate ventilation.

Environmental Precautions Do not discharge into the drains, surface waters or

ground water directly.

No information available

Methods and Equipment for Containment and Cleaning

Up

Prevention Measures for Keep away from sources of ignition and prepare

Secondary Accidents extinguishing media.

Section 7 - HANDLING AND STORAGE

Handling Technical Measures Provide ventilation system and use necessary personal

protective equipment as described in "Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/eye protection/face protection.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Prevents Handling of Incompatible

Substances or **Mixtures**

Refer to "Section 10 - STABILITY AND REACTIVITY".

Conditions for Safe Storage

Storage

Refer to "Section 10 - STABILITY AND REACTIVITY".

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration	Exposure Limits (Japan	Exposure Limits (ACGIH)
	Level	Society for	
		Occupational Health)	
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm
Chromium and its	-	0.5mg/m3 as Cr3+	_
compounds			

Engineering Controls Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity.

Personal Protective

Equipment

Respiratory Protection

If necessary, wear respiratory protection.

Hand Protection

Wear protective gloves.

Eye/Face Protection

Wear eye protection/face protection.

Skin and Body Protection

Wear protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Form Liquid Colour Black Odour Solvent odor

Melting Point/Freezing -86.4°C (as 2-Butanone)

Point

Boiling Point or Initial

79.6 °C (as 2-Butanone)

Boiling Point and Boiling

Ranges

Flammability

Flammability

Lower and Upper Explosion Lower Limit

Limit / Flammability Limit

1.8vol% (as 2-Butanone)

Upper Limit 11.5vol% (as 2-Butanone)

Flash Point -4.6°C (Tag Closed Cup)

Auto-Ignition Temperature 505°C (as 2-Butanone)

No data available Decomposition

Temperature

No data available Kinematic Viscosity 3.6 mm 2/s

Partition Coefficient : n-0.29(as 2-Butanone)

Octanol/Water

10.5kPa (20°C) (as 2-Butanone) Vapour Pressure

Density and/or Relative

Density

2.41 (Air=1, as 2-Butanone) Relative Gas Density

Particle Characteristics No data available

as Methyl ethyl ketone

-86.4°C Melting Point/Freezing

Point

Boiling Point or Initial 79.6°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.8061

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Flammable

Reaction

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

source of ignition.

Incompatible Substances or No data available

Mixtures

Hazardous Decomposition No data available

Products

Other Data No data available

Section 11 - TOXICOLOGICAL INFORMATION

Skin Corrosion/Irritation

Acute Toxicity Classification not possible since lots of the Oral

concentrations of unknown ingredients.

Dermal Classification not possible since lots of the

concentrations of unknown ingredients.

Inhalation (gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classified as Category 4 since ATE is 2500 to

20000(ppmV). (dust and mist)

Unable to classify due to insufficient data.

Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Serious Eye Damage/Eye Classified as Category 2A since the sum of 10 × (Eye Irritation Category 1 + Skin Category 1) is more than 10%.

Classification not possible since lots of the

Respiratory Sensitization concentrations of unknown ingredients.

Skin Sensitization Classification not possible since lots of the

concentrations of unknown ingredients.

Germ Cell Mutagenicity Classification not possible since lots of the

concentrations of unknown ingredients.

Carcinogenicity Unable to classify due to insufficient data.

Reproductive Toxicity

(Reproductive toxicity)

Classification not possible since lots of the concentrations of unknown ingredients.

(Reproductive toxicity, effects on or via lactation)

Specific Target Organ Toxicity (Single Exposure) Unable to classify due to insufficient data. Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is 1.0 to 10%.

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.

*Category 2(blood) ingredients is contained 1.0 to 10%.

*Category 2(kidney) ingredients is contained 1.0 to 10%

*Category 2(central nervous system) ingredients is contained 1.0 to 10%.

Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more than 10%.

*Category 2(liver) ingredients is contained 1.0 to 10%.

*Category 2(blood) ingredients is contained 1.0 to 10%.

*Category 2(nervous system) ingredients is contained 1.0 to 10%.

*Category 2(kidney) ingredients is contained 1.0 to 10%

*Category 2(urinary bladder) ingredients is contained 1.0 to 10%.

Aspiration Hazard

Specific Target Organ

Toxicity (Repeated

Exposure)

Unable to classify due to insufficient data.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term

(Acute)

(Chronic)

Hazardous to the Aquatic Environment, Long-Term

Ecotoxicity Persistence

Bioaccumulative Potential

Mobility in Soil

Hazardous to the Ozone

Laver

Classified as Category 2 since the sum of (M \times 10 \times Category 1) + Category 2 ingredients is .

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available No data available

No data available

Unable to classify due to insufficient data.

Section 13 - DISPOSAL CONSIDERATIONS Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containe Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations

Regulatory

Conform to the provisions of IMO.

Information by Sea

UN No.

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group Π

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78. Annex ${\rm I\hspace{-.1em}I}$, the IBC

Code

Regulatory Conform to the provisions of ICAO/IATA.

Information by Air

Proper Shipping Name PRINTING INK RELATED MATERIAL

3 Class Packing Group

Regulations in Japan

Regulatory Information by Road

Complies with the Fire Service Act.

Regulatory

Conform to the provisions of the Ship Safety Law. Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class Packing Group П

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of the Civil Aeronautics Law.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group П 130

Emergency Response Guide

Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health Act

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.),

Enforcement Ordinance 2 of Appendix 6

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names, etc .(Article 57 part 2, Order Article 18 part 2-1 and part 2, Attached Table9)

Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts) (Number: 142) (less than 5%) Methyl ethyl ketone (Number: 570) (70%-80%)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the **Environment and Promotion** of Improvements to the Management Thereof

Not applicable

Not applicable

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Priority Assessment Chemical Substances(Article 2 part 5)

Fire Service Act

Water Pollution Prevention

Act

Narcotics and

Psychotropics Control Act

Foreign Exchange and

Foreign Trade Act

Hazardous Materials Category IV inflammable liquids Class I

petroleums non water-soluble Packing Group II

Specified substances (article 2, paragraph 4 of the Act, article 3 of

the Enforcement Ordinance)

raw materials for Narcotics or Psychotropics(Appended Table IV part

9. Order Article 4)

Import Trade Control Order Appended Table I part 16

Import Trade Control Order Appended Table II (Import Approval)

Ship Safety Law **Aviation Law**

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances

of Manufacture and Evaluation of Chemical Substances

Act on the Regulation We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

> The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act The flash point of Class I petroleums is less than 21 ° c.

Poisonous and
Deleterious
Substances Control

The deleterious substances is only applicable to the material, and the mixture is non-applicable.

RoHS Specified Substance Concentration $Cd \le 100 ppm$ Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP $\le 1000 ppm$

Allowable concentration Standards Cited Literature

TLV-TWA: Threshold Limit Values-Time Weighted Average STEL

(Short Term Exposure Limit

JIS Z7253:2019

1) International Chemical Safety Cards

2) National Institute of Technology and Evaluation (NITE), Japan

3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan

4) EZSDS (JCDB)

Additional Information about This Product:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.