

Issue 2005.08.31

Revision 2022.11.07

Safety Data Sheet (SDS)

Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-1033K/Ink-K33
Product Code	1033K/JP-K33
Reference Number	6
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Company Contact	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	ogino-masahiko@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers

Section 2 – HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization Category 1 Specific target organ toxicity (single exposure) Category 2(kidney) Specific target organ toxicity (single exposure) Category 3(narcotic effect respiratory tract irritation) Specific target organ toxicity (repeated exposure) Category 1(central nervous system peripheral nervous system) Other hazards than mentioned above are Not classified or Classification not possible.

GHS Label Elements

Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H371 May cause damage to kidney H372 Causes damage to central nervous system, peripheral nervous system through prolonged or repeated exposure

Precautionary Statements

Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210) Keep container tightly closed.(P233) Ground and bond container and receiving equipment.(P240)
------------	--

Use explosion-proof electrical, ventilating and lighting equipment.(P241)
 Use non-sparking tools.(P242)
 Take action to prevent static discharges.(P243)

Do not breathe dust/fume/gas/mist/vapours/spray.(P260)
 Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)
 Wash hand thoroughly after handling.(P264)
 Wash eye thoroughly after handling.(P264)
 Do not eat, drink or smoke when using this product.(P270)
 Use only outdoors or in a well-ventilated area.(P271)

Contaminated work clothing should not be allowed out of the workplace.(P272)
 Wear protective gloves/protective clothing/eye protection/face protection.(P280)

Response
 IF ON SKIN: Wash with plenty of soap and water.(P302+P352)
 IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

Call a doctor if you feel unwell.(P312)
 Get medical advice and attention if you feel unwell.(P314)
 Specific treatment.(P321)
 If skin irritation occurs: Get medical advice/attention.(P332+P313)
 If skin irritation or rash occurs: Get medical advice/attention.(P333+P313)
 If eye irritation persists: Get medical advice/attention.(P337+P313)
 Take off contaminated clothing and wash it before reuse.(P362+P364)
 In case of fire: Use appropriate media to extinguish.(P370+P378)

Storage
 Store in a well-ventilated place. Keep container tightly closed.(P403+P233)
 Store in a well-ventilated place. Keep cool.(P403+P235)

Disposal
 Store locked up.(P405)
 Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Mixture

Chemical Name or Generic Name	Concentration or Its Ranges (%)	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Methyl ethyl ketone	80-90%	CH ₃ CH ₂ CO CH ₃	(2)-542	Registered	78-93-3

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Chromium and its compounds	1-10%	-	Registered(Trade secret)	Registered(Trade secret)	Trade secret
----------------------------	-------	---	--------------------------	--------------------------	--------------

Section 4 – FIRST AID MEASURES

Inhalation
 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact
 IF exposed or concerned: Call a doctor.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF ON SKIN: Wash with plenty of soap and water.
 If skin irritation or rash occurs, get medical advice and attention.
 Specific treatment.
 IF exposed or concerned: Call a doctor.

Eye Contact
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.

Ingestion
 IF exposed or concerned: Call a doctor.
 Rinse mouth.
 IF SWALLOWED: Call a doctor if you feel unwell.
 IF exposed or concerned: Call a doctor.

Section 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media
 Use extinguishing agent suitable for type of surrounding fire.
 When dust occurs, use dry sand.

Unsuitable Extinguishing Media
 Cylindric water.

Specific Hazards in Case of Fire
 Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting
 Fight fire from upwind position if possible
 Keep away from sources of ignition and use appropriate extinguishing media.
 Prohibit unauthorized staff from entering the area around the fire.
 Keep unnecessary people away.

Special Protective Equipment and Precautions for Fire Fighters
 Use goggles in combination with dust mask, and another protections as appropriate to situation.

Section 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures
 Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental Precautions
 Large spills :Evacuate area.
 Ensure adequate ventilation.
 Do not discharge into the drains, surface waters or ground water directly.

Methods and Equipment for Containment and Cleaning Up
 small spill : absorb with material such as non-combustible material wash thoroughly after handling

Prevention Measures for Secondary Accidents
 Large spills: Dike spills and dispose of in safe area.
 Keep away from sources of ignition and prepare extinguishing media.
 Risk of slipping. Spilled material forms slippery floor.
 Do not recklessly walk on the spillage.

Section 7 – HANDLING AND STORAGE

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Handling	Technical Measures	<p>Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".</p> <p>Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.</p> <p>Take precautionary measures against static discharge.</p> <p>Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.</p>
	Precautions for Safe Handling	<p>Contaminated work clothing should not be allowed out of the workplace. Keep cool. Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>Wear protective gloves/eye protection/face protection.</p> <p>Do not eat, drink or smoke when using this product.</p> <p>Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area.</p>
Storage	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 – STABILITY AND REACTIVITY".
	Conditions for Safe Storage	<p>Refer to "Section 10 – STABILITY AND REACTIVITY".</p> <p>Store locked up. Store container tightly closed in well-ventilated place.</p>

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm
Chromium and its compounds	-	0.5mg/m3 as Cr3+	-

Engineering Controls		<p>Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.</p> <p>Use explosion-proof electrical equipment and prevent from static electricity.</p>
Personal Protective Equipment	<p>Respiratory Protection</p> <p>Hand Protection</p> <p>Eye/Face Protection</p> <p>Skin and Body Protection</p>	<p>If necessary, wear respiratory protection.</p> <p>Wear protective gloves.</p> <p>Wear eye protection/face protection.</p> <p>Wear protective clothing.</p>

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Form	Liquid
Colour	Black
Odour	Solvent odor
Melting Point/Freezing Point	No data available

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Boiling Point or Initial Boiling Point and Boiling Ranges		80 °C
Flammability		No data available
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	1.7vol%
	Upper Limit	11.4vol%
Flash Point		-4.1°C (Tag Closed Cup)
Auto-Ignition Temperature		505°C
Decomposition Temperature		No data available
pH		No data available
Kinematic Viscosity		No data available
Solubility		No data available
Partition Coefficient : n-Octanol/Water		No data available
Vapour Pressure		9.493kPa (20°C)
Density and/or Relative Density		0.851
Relative Gas Density		No data available
Particle Characteristics		No data available
as Methyl ethyl ketone		
Melting Point/Freezing Point		-86.4°C
Boiling Point or Initial Boiling Point and Boiling Ranges		79.6°C
Density and/or Relative Density		0.8061
Section 10 – STABILITY AND REACTIVITY		
Reactivity		Does not react dangerously under normal conditions.
Chemical Stability		Stable under normal conditions of use.
Possibility of Hazardous Reaction		Flammable
Conditions to Avoid		There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures		No data available
Hazardous Decomposition Products		No data available
Other Data		No data available
Section 11 – TOXICOLOGICAL INFORMATION		
Acute Toxicity	Oral	Unable to classify due to insufficient data.
	Dermal	Unable to classify due to insufficient data.
	Inhalation	(gas) Does not fall under gas based on GHS definitions.
		(vapour) Classified as Category 4 since ATE is 2500 to (dust and mist)
Skin Corrosion/Irritation		Unable to classify due to insufficient data. Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation		Classified as Category 2A since the sum of Eye Category 2 ingredients is more than 10%.
Respiratory Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Skin Sensitization	Classified as Category 1 since one of the Category 1 ingredients is more than 1.0%.
Germ Cell Mutagenicity	Classification not possible since lots of the concentrations of unknown ingredients.
Carcinogenicity Reproductive Toxicity	Unable to classify due to insufficient data. (Reproductive toxicity) Unable to classify due to insufficient data. (Reproductive toxicity, effects on or via lactation)
Specific Target Organ Toxicity (Single Exposure)	Unable to classify due to insufficient data. Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.
Specific Target Organ Toxicity (Repeated Exposure)	Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%. Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%. Classified as Category 1(central nervous system) since one of the Category 1(central nervous system) ingredients is more than 10%. Classified as Category 1(peripheral nervous system) since one of the Category 1(peripheral nervous system) ingredients is more than 10%.
Aspiration Hazard	Classified as Classification not possible since the kinematic viscosity is unknown.
Section 12 – ECOLOGICAL INFORMATION	
Hazardous to the Aquatic Environment, Short-Term (Acute)	Classification not possible since lots of the concentrations of unknown ingredients.
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classification not possible since lots of the concentrations of unknown ingredients.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Hazardous to the Ozone Layer	Unable to classify due to insufficient data.
Section 13 – DISPOSAL CONSIDERATIONS	
Residual waste	Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on “specially controlled industrial waste(Flammable waste oil)” from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable. Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management. Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or into the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated container Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 – TRANSPORT INFORMATION

International Regulations	Regulatory Information by Sea	Conform to the provisions of IMO.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
Regulations in Japan	Regulatory Information by Road	Complies with the Fire Service Act.
	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
Emergency Response Guide Number		130

Section 15 – REGULATORY INFORMATION

Industrial Safety and Health Act	Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6 the standards for work environment monitoring Article 65 part 2-1
	Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
	Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

	Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9) Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts)(Number: 142) (1%-10%) Methyl ethyl ketone (Number: 570) (80%-90%) Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))
Poisonous and Deleterious Substances Control Act	Not applicable
Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof	Not applicable
Fire Service Act	Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II
Water Pollution Prevention Act	Specified substances (article 2, paragraph 4 of the Act, article 3 of the Enforcement Ordinance)
Narcotics and Psychotropics Control Act	raw materials for Narcotics or Psychotropics(Appended Table IV part 9, Order Article 4)
Foreign Exchange and Foreign Trade Act	Import Trade Control Order Appended Table I part 16 Import Trade Control Order Appended Table II (Import Approval)
Ship Safety Law Aviation Law	Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second- class organic solvents. In the “15. Applicable laws” column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.) 2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more. The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act	The flash point of Class I petroleums is less than 21 ° c.
Poisonous and Deleterious Substances Control Act	The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019
Cited Literature	1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan

4) EZSDS(JCDB)

Additional Information
about This Product:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.