

Issue 2015.11.19

Revision 2023.09.28

## Safety Data Sheet (SDS)

### Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-3111K/Ink-K111
Product Code	3111K/JP-K111
Reference Number	35
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Company Contact	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	ogino-masahiko@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers

### Section 2 – HAZARDS IDENTIFICATION

#### GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Serious eye damage/eye irritation Category 1 Carcinogenicity Category 1A Reproductive toxicity Category 1A Specific target organ toxicity (single exposure) Category 2 (systemic toxicity central nervous system)  Specific target organ toxicity (single exposure) Category 3 (narcotic effect respiratory tract irritation)  Specific target organ toxicity (repeated exposure) Category 1 (liver) Specific target organ toxicity (repeated exposure) Category 2 (blood central nervous system)
Environmental Hazards	Hazardous to the aquatic environment, short-term (acute) Category 3 Hazardous to the aquatic environment, long-term (chronic) Category 3 Other hazards than mentioned above are Not classified or Classification not possible.

#### GHS Label Elements

##### Pictograms



Signal Word Danger

Hazard Statements  
 H225 Highly flammable liquid and vapour  
 H318 Causes serious eye damage  
 H335 May cause respiratory irritation  
 H336 May cause drowsiness or dizziness  
 H350 May cause cancer  
 H360 May damage fertility or the unborn child  
 H371 May cause damage to systemic toxicity, central nervous system  
 H372 Causes damage to liver through prolonged or repeated exposure

H373 May cause damage to blood, central nervous system through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention Obtain special instructions before use.(P201)  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)

Response Wear protective gloves/protective clothing/eye protection/face protection.(P280)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture Mixture

Chemical Name or Generic Name	Concentration or Its Ranges (wt%)	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Ethanol	75-less than 85	CH <sub>3</sub> CH <sub>2</sub> OH	(2)-202	Registered	64-17-5
Isopropyl alcohol	<5	CH <sub>3</sub> CH(OH)CH <sub>3</sub>	(2)-207	Registered	67-63-0
n-Propyl alcohol	5-10	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> OH	(2)-207	Registered	71-23-8
Chromium and its compounds	5-10	-	Registered(Trade secret)	Registered(Trade secret)	Trade secret
lithium nitrate	0.1-1	LiNO <sub>3</sub>	(1)-765	Registered	7790-69-4

Section 4 – FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.  
IF exposed or concerned: Call a doctor.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF ON SKIN: Wash with plenty of soap and water.  
If skin irritation occurs: Get medical advice and attention.  
IF exposed or concerned: Call a doctor.

Eye Contact Immediately call a doctor.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Call a doctor.

Ingestion Rinse mouth.  
IF SWALLOWED: Call a doctor if you feel unwell.  
IF exposed or concerned: Call a doctor.

Section 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire.  
When dust occurs, use dry sand.

Unsuitable Extinguishing Media Cylindric water.

<p>Specific Hazards in Case of Fire</p> <p>Specific Fire Fighting</p>	<p>Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.</p> <p>Fight fire from upwind position if possible</p> <p>Keep away from sources of ignition and use appropriate extinguishing media.</p> <p>Prohibit unauthorized staff from entering the area around the fire.</p> <p>Keep unnecessary people away.</p>
<p>Special Protective Equipment and Precautions for Fire Fighters</p>	<p>Use goggles in combination with dust mask, and another protections as appropriate to situation.</p>

Section 6 – ACCIDENTAL RELEASE MEASURES

<p>Personal Precautions, Protective Equipment and Emergency Procedures</p>	<p>Use goggles in combination with dust mask, and another protections as appropriate to situation.</p>
<p>Environmental Precautions</p>	<p>Large spills :Evacuate area.</p> <p>Ensure adequate ventilation.</p> <p>Do not discharge into the drains, surface waters or ground water directly.</p>
<p>Methods and Equipment for Containment and Cleaning Up</p>	<p>No information available</p>
<p>Prevention Measures for Secondary Accidents</p>	<p>Keep away from sources of ignition and prepare extinguishing media.</p>

Section 7 – HANDLING AND STORAGE

<p>Handling</p>	<p>Technical Measures</p>	<p>Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".</p> <p>Ground/bond container and receiving equipment.</p> <p>Use only non-sparking tools.</p> <p>Use explosion-proof electrical/ventilating/lighting.</p> <p>Take precautionary measures against static discharge.</p> <p>Use local exhaust ventilation in case of production of fume or mist.</p> <p>Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.</p>
<p>Precautions for Safe Handling</p>	<p>Prevents Handling of Incompatible Substances or Mixtures</p>	<p>Keep cool.</p> <p>Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>Do not eat, drink or smoke when using this product.</p> <p>Wash hands thoroughly after handling.</p> <p>Use only outdoors or in a well-ventilated area.</p> <p>Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>Refer to "Section 10 – STABILITY AND REACTIVITY".</p>
<p>Storage</p>	<p>Conditions for Safe Storage</p>	<p>Refer to "Section 10 – STABILITY AND REACTIVITY".</p> <p>Store locked up.</p> <p>Store container tightly closed in well-ventilated place.</p>

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Isopropyl alcohol	200ppm	【 Maximum allowable concentration 】 400ppm (980mg/m <sup>3</sup> )	TWA 200 ppm, STEL 400 ppm
Ethanol	-	-	TWA -, STEL 1000 ppm
n-Propyl alcohol	-	-	TWA 100 ppm, STEL -
lithium nitrate	-	-	-
Chromium and its compounds	-	0.5mg/m <sup>3</sup> as Cr <sup>3+</sup>	-

## Engineering Controls

Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent from static electricity.

## Personal Protective Equipment

## Respiratory Protection

If necessary, wear respiratory protection.

## Hand Protection

Wear protective gloves.

## Eye/Face Protection

Wear eye protection/face protection.

## Skin and Body Protection

Wear protective clothing.

## Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Form	Liquid
Colour	Black
Odour	Solvent odor
Melting Point/Freezing Point	-114.5 °C (as Ethanol)
Boiling Point or Initial Boiling Point and Boiling Ranges	78.3°C (as Ethanol)
Flammability	Flammability
Lower and Upper Explosion Limit / Flammability Limit	3.3vol% (as Ethanol)
	Upper Limit
Flash Point	13.7°C (Tag Closed Cup)
Auto-Ignition Temperature	363°C (as Ethanol)
Decomposition Temperature	No data available
pH	No data available
Kinematic Viscosity	3.9mm <sup>2</sup> /s
Solubility	water soluble in any(as Ethanol)
Partition Coefficient : n-Octanol/Water	-0.31 (as Ethanol)
Vapour Pressure	5.9kPa (20°C)(as Ethanol)
Density and/or Relative Density	0.83
Relative Gas Density	1.59 (Air=1, as Ethanol)
Particle Characteristics	No data available
as Isopropyl alcohol	
Boiling Point or Initial Boiling Point and Boiling Ranges	82.4°C
Density and/or Relative Density as Ethanol	0.7863(20°C, 20°C)

Boiling Point or Initial Boiling Point and Boiling Ranges	78.3°C
Density and/or Relative Density as n-Propyl alcohol	0.7892(20°C, 4°C)
Boiling Point or Initial Boiling Point and Boiling Ranges	97.4°C, 49.92°C(90mmHg ), 30.35°C(28.5mmHg )
Density and/or Relative Density as lithium nitrate	0.8035(20°C/4°C)
Melting Point/Freezing Point	261°C
Decomposition Temperature	600°C
Kinematic Viscosity	0mm <sup>2</sup> /S(40°C)
Density and/or Relative Density	2.37(20°C, 4°C)

## Section 10 – STABILITY AND REACTIVITY

Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures	No data available
Hazardous Decomposition Products	No data available
Other Data	No data available

## Section 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas) Does not fall under gas based on GHS definitions.  (vapour) Classification not possible since lots of the concentrations of unknown ingredients. (dust and mist) Unable to classify due to insufficient data.
Skin Corrosion/Irritation		Classification not possible since lots of the concentrations of unknown ingredients.
Serious Eye Damage/Eye Irritation		Classified as Category 1 since the sum of Eye Category 1 ingredients is more than 3%.
Respiratory Sensitization		Unable to classify due to insufficient data.
Skin Sensitization		Unable to classify due to insufficient data.
Germ Cell Mutagenicity		Unable to classify due to insufficient data.
Carcinogenicity		Classified as Category 1A since one of the Category 1A ingredients is more than 0.1%.
Reproductive Toxicity		(Reproductive toxicity) Classified as Category 1A since one of the Category 1A ingredients is more than 0.3%.
		(Reproductive toxicity, effects on or via lactation)
		Unable to classify due to insufficient data.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Specific Target Organ Toxicity (Single Exposure)	Classified as Category 2(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is 1 to 10%.  Classified as Category 2(central nervous system) since one of the Category 1(central nervous system) ingredients is 1 to 10%.  Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%.  Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)	Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%.  Classified as Category 2(central nervous system) since one of the Category 2(central nervous system) ingredients is more than 10%.  Classified as Category 2(blood) since one of the Category 1(blood) ingredients is 1 to 10%.
Aspiration Hazard	Unable to classify due to insufficient data.

## Section 12 – ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term (Acute)	Classified as Category 3 since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is more than 25%.
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classified as Category 3 since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is more than 25%.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Hazardous to the Ozone Layer	Unable to classify due to insufficient data.

## Section 13 – DISPOSAL CONSIDERATIONS

Residual waste	Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on “specially controlled industrial waste(Flammable waste oil)” from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.  Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.  Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.  When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.  Clarify the contents of waste materials and entrust disposal to a waste disposal company.
Contaminated container	Empty containers should be treated as industrial wastes and not allowed to contain waste.

## Section 14 – TRANSPORT INFORMATION

---

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

International Regulations	Regulatory Information by Sea	Conform to the provisions of IMO.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
Regulations in Japan	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Regulatory Information by Road	Complies with the Fire Service Act.
	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
Emergency Response Guide Number	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
		130

## Section 15 – REGULATORY INFORMATION

Industrial Safety and Health Act

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.  
(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names,etc  
(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)

Ethanol(Number: 61) (70%–80%)

Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts)(Number: 142) (1%–10%)

Propyl alcohol(Number: 494) (10%–20%)

lithium nitrate(less than 1%)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Poisonous and Deleterious Substances Control Act	Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not applicable
Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof	Not applicable
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	Priority Assessment Chemical Substances(Article 2 part 5)
Fire Service Act	Hazardous Materials Category IV inflammable liquids Class I petroleum non water-soluble Packing Group II
Water Pollution Prevention Act	Hazardous substances (Article 2, Ordinance of Enforcement, article 2, Ordinance 1) that prescribe wastewater standards) Specified substances (article 2, paragraph 4 of the Act, article 3 of the Enforcement Ordinance)
Foreign Exchange and Foreign Trade Act	Import Trade Control Order Appended Table I part 4
Ship Safety Law Aviation Law	Import Trade Control Order Appended Table I part 16 Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

## Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second-class organic solvents.  In the “15. Applicable laws” column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022. ) In the case where “composition and ingredient information” corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	Isopropyl alcohol belongs to propyl alcohol. We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.  The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act Poisonous and Deleterious Substances Control Act	The flash point of Class I petroleum is less than 21 ° c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards Cited Literature	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019 1) International Chemical Safety Cards

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.



2) National Institute of Technology and Evaluation (NITE), Japan

3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan

4) EZSDS (JCDB)

Additional Information  
about This Product:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.