

Issue 2019.03.14

Revision 2022.10.24

## Safety Data Sheet (SDS)

### Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-4146K
Product Code	4146K
Reference Number	51
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Company Contact	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	ogino-masahiko@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers

### Section 2 – HAZARDS IDENTIFICATION

#### GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Reproductive toxicity Category 2 Specific target organ toxicity (single exposure) Category 3 (narcotic effect respiratory tract irritation)
Environmental Hazards	Hazardous to the aquatic environment, short-term (acute) Category 2 Hazardous to the aquatic environment, long-term (chronic) Category 3 Other hazards than mentioned above are Not classified or Classification not possible.

#### GHS Label Elements

##### Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H315 Causes skin irritation H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H361 Suspected of damaging fertility or the unborn child H401 Toxic to aquatic life H412 Harmful to aquatic life with long lasting effects

##### Precautionary Statements

Prevention	Obtain special instructions before use.(P201) Do not handle until all safety precautions have been read and understood.(P202) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)  Keep container tightly closed.(P233)
------------	--

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Ground and bond container and receiving equipment.(P240)  
 Use explosion-proof electrical, ventilating and lighting equipment.(P241)  
 Use non-sparking tools.(P242)  
 Take action to prevent static discharges.(P243)

Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)  
 Wash hand thoroughly after handling.(P264)  
 Wash eye thoroughly after handling.(P264)  
 Use only outdoors or in a well-ventilated area.(P271)

Avoid release to the environment.(P273)  
 Wear protective gloves/protective clothing/eye protection/face protection.(P280)

**Response**  
 IF ON SKIN: Wash with plenty of soap and water.(P302+P352)  
 IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Get medical advice/attention.(P308+P313)  
 Call a doctor if you feel unwell.(P312)  
 Specific treatment.(P321)  
 If skin irritation occurs: Get medical advice/attention.(P332+P313)  
 If eye irritation persists: Get medical advice/attention.(P337+P313)  
 Take off contaminated clothing and wash it before reuse.(P362+P364)  
 In case of fire: Use appropriate media to extinguish.(P370+P378)

**Storage**  
 Store in a well-ventilated place. Keep container tightly closed.(P403+P233)  
 Store in a well-ventilated place. Keep cool.(P403+P235)

**Disposal**  
 Store locked up.(P405)  
 Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

**Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS**

Distinction of Substance or Mixture

Mixture

Chemical Name or Generic Name	Concentration or Its Ranges (%)	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Methyl isopropyl ketone	75-less than 85	CH <sub>3</sub> CH(CH <sub>3</sub> )CO CH <sub>3</sub>	(2)-542	Registered	563-80-4
Chromium and its compounds	5-10	-	Registered(Trade secret)	Registered(Trade secret)	-

**Section 4 – FIRST AID MEASURES**

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Skin Contact	<p>IF exposed or concerned: Get medical advice and attention.</p> <p>IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</p>
Eye Contact	<p>IF ON SKIN: Wash with plenty of soap and water.</p> <p>If skin irritation occurs: Get medical advice and attention.</p> <p>IF exposed or concerned: Get medical advice and attention.</p> <p>Specific treatment.</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>If eye irritation persists: Get medical advice/attention.</p>
Ingestion	<p>IF exposed or concerned: Get medical advice and attention.</p> <p>Rinse mouth.</p> <p>IF SWALLOWED: Call a doctor if you feel unwell.</p>
<b>Section 5 – FIRE FIGHTING MEASURES</b>	
Suitable Extinguishing Media	<p>Use extinguishing agent suitable for type of surrounding fire.</p>
Unsuitable Extinguishing Media	<p>When dust occurs, use dry sand. Cylindric water.</p>
Specific Hazards in Case of Fire	<p>Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.</p>
Specific Fire Fighting	<p>Fight fire from upwind position if possible Keep away from sources of ignition and use appropriate extinguishing media. Prohibit unauthorized staff from entering the area around the fire.</p>
Special Protective Equipment and Precautions for Fire Fighters	<p>Keep unnecessary people away. Use goggles in combination with dust mask, and another protections as appropriate to situation.</p>
<b>Section 6 – ACCIDENTAL RELEASE MEASURES</b>	
Personal Precautions, Protective Equipment and Emergency Procedures	<p>Use goggles in combination with dust mask, and another protections as appropriate to situation.</p>
Environmental Precautions	<p>Large spills :Evacuate area. Ensure adequate ventilation. Do not discharge into the drains, surface waters or ground water directly.</p>
Methods and Equipment for Containment and Cleaning Up	<p>No information available</p>
Prevention Measures for Secondary Accidents	<p>Keep away from sources of ignition and prepare extinguishing media.</p>
<b>Section 7 – HANDLING AND STORAGE</b>	
Handling	Technical Measures
<p>Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".</p>	
<p>Ground/bond container and receiving equipment. Use only non-sparking tools.</p>	

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

		Use explosion-proof electrical/ventilating/lighting.
		Take precautionary measures against static discharge.
		Use local exhaust ventilation in case of production of fume or mist.
		Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe Handling	Keep cool. Avoid breathing dust/fume/gas/mist/vapours/spray.
	Prevents Handling of Incompatible Substances or Mixtures	Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Storage	Conditions for Safe Storage	Refer to "Section 10 - STABILITY AND REACTIVITY". Store locked up. Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)
Methyl isopropyl ketone	-	-	TWA 20 ppm, STEL -
Chromium and its compounds	-	0.5mg/m3 as Cr3+	-

Engineering Controls		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Personal Protective Equipment	Respiratory Protection Hand Protection Eye/Face Protection Skin and Body Protection	Use explosion-proof electrical equipment and prevent from static electricity. If necessary, wear respiratory protection. Wear protective gloves. Wear eye protection/face protection. Wear protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State		Liquid
Form		Liquid
Colour		Black
Odour		Solvent odor
Melting Point/Freezing Point		-95°C (as Methyl isopropyl ketone)
Boiling Point or Initial Boiling Point and Boiling Ranges		94°C (as Methyl isopropyl ketone)
Flammability		Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	1.2vol% (as Methyl isopropyl ketone)
	Upper Limit	8vol% (as Methyl isopropyl ketone)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Flash Point	0.5°C (Tag Closed Cup)
Auto-Ignition Temperature	475°C(as Methyl isopropyl ketone)
Decomposition Temperature	No data available
pH	No data available
Kinematic Viscosity	3.7mm <sup>2</sup> /s
Partition Coefficient : n-Octanol/Water	0.84 (as Methyl isopropyl ketone)
Vapour Pressure	5.5kPa (20°C) (as Methyl isopropyl ketone)
Density and/or Relative Density	No data available
Relative Gas Density	No data available
Particle Characteristics	No data available
as Methyl isopropyl ketone	
Boiling Point or Initial Boiling Point and Boiling Ranges	95°C
Density and/or Relative Density	0.8046(16°C/4°C)

## Section 10 – STABILITY AND REACTIVITY

Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures	No data available
Hazardous Decomposition Products	No data available
Other Data	No data available

## Section 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas) Does not fall under gas based on GHS definitions.  (vapour) Classified as Category 4 since ATE is 2500 to 20000(ppmV). (dust and mist) Unable to classify due to insufficient data.
Skin Corrosion/Irritation		Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation		Classified as Category 2A since the sum of Eye Category 2A + Eye Category 2B ingredients is more than 10%.
Respiratory Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.
Skin Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.
Germ Cell Mutagenicity		Classification not possible since lots of the concentrations of unknown ingredients.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Carcinogenicity	Classification not possible since lots of the concentrations of unknown ingredients.
Reproductive Toxicity	(Reproductive toxicity) Classified as Category 2 since one of the Category 2 ingredients is more than 3.0%. (Reproductive toxicity, effects on or via lactation)
Specific Target Organ Toxicity (Single Exposure)	Unable to classify due to insufficient data. Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%. Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)	Unable to classify due to insufficient data.
Aspiration Hazard	Unable to classify due to insufficient data.
<b>Section 12 – ECOLOGICAL INFORMATION</b>	
Hazardous to the Aquatic Environment, Short-Term (Acute)	Classified as Category 2 since the sum of (M × 10 × Category 1) + Category 2 ingredients is more than 25%.
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classified as Category 3 since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is more than 25%.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Hazardous to the Ozone Layer	Unable to classify due to insufficient data.
<b>Section 13 – DISPOSAL CONSIDERATIONS</b>	
Residual waste	Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on “specially controlled industrial waste(Flammable waste oil)” from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.  Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management. Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.  When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.  Clarify the contents of waste materials and entrust disposal to a waste disposal company.
Contaminated container	Empty containers should be treated as industrial wastes and not allowed to contain waste.
<b>Section 14 – TRANSPORT INFORMATION</b>	
International Regulations	Regulatory Information by Sea UN No.
	Conform to the provisions of IMO. 1210

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to	
	MARPOL 73/78,	
	Annex II, the IBC	
	Code	
	Regulatory	Conform to the provisions of ICAO/IATA.
	Information by Air	
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
Regulations in Japan	Regulatory	Complies with the Fire Service Act.
	Information by Road	
	Regulatory	Conform to the provisions of the Ship Safety Law.
	Information by Sea	
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to	
	MARPOL 73/78,	
	Annex II, the IBC	
	Code	
	Regulatory	Conform to the provisions of the Civil Aeronautics Law.
	Information by Air	
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
Emergency Response Guide		130
Number		

## Section 15 – REGULATORY INFORMATION

Industrial Safety and Health Act	the standards for work environment monitoring Article 65 part 2-1
	Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
	Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)
	Chromium and its compounds (excluding Chromic acid, Dichromic acid and its salts)(Number: 142) (1%-10%) Methyl propyl ketone (Number: 590) (80%-90%)
	Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not applicable
Poisonous and Deleterious Substances Control Act	Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof	Not applicable
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	Priority Assessment Chemical Substances(Article 2 part 5)
Fire Service Act	Hazardous Materials Category IV inflammable liquids Class I petroleum non water-soluble Packing Group II
Water Pollution Prevention Act	Specified substances (article 2, paragraph 4 of the Act, article 3 of the Enforcement Ordinance)
Foreign Exchange and Foreign Trade Act	Import Trade Control Order Appended Table I part 16
Ship Safety Law	Flammable liquids(Order Article 3,Appended Table I)
Aviation Law	Flammable liquids(Order Article 194,Appended Table I)

## Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second-class organic solvents.  In the “15. Applicable laws” column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022. ) 3-methyl-2-butanone and Methyl isopropyl ketone are the same substances. Methyl isopropyl ketone belongs to Methyl propyl ketone.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.  The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act	The flash point of Class I petroleum is less than 21 ° c.
Poisonous and Deleterious Substances Control Act	The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019
Cited Literature	1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan  3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS (JCDB)



**Additional Information about This Product:** To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.