

Issue 2005.08.31

Revision 2022.11.09

## Safety Data Sheet (SDS)

### Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Solvent-71/Solvent-S1071
Product Code	S1071/TH-71
Reference Number	1010
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Company Contact	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	ogino-masahiko@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers

### Section 2 – HAZARDS IDENTIFICATION

#### GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 1A Reproductive toxicity Category 1A Specific target organ toxicity (single exposure) Category 2(kidney) Specific target organ toxicity (single exposure) Category 3(narcotic effect respiratory tract irritation)  Specific target organ toxicity (repeated exposure) Category 1(liver nervous system) Specific target organ toxicity (repeated exposure) Category 2(central nervous system) Other hazards than mentioned above are Not classified or Classification not possible.

#### GHS Label Elements

##### Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H315 Causes skin irritation H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H350 May cause cancer H360 May damage fertility or the unborn child H371 May cause damage to kidney H372 Causes damage to liver, nervous system through prolonged or repeated exposure H373 May cause damage to central nervous system through prolonged or repeated exposure
Precautionary Statements	
Prevention	Obtain special instructions before use.(P201) Do not handle until all safety precautions have been read and understood.(P202)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

	<p>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)</p> <p>Keep container tightly closed.(P233)                  Ground and bond container and receiving equipment.(P240)                  Use explosion-proof electrical, ventilating and lighting equipment.(P241)                  Use non-sparking tools.(P242)                  Take action to prevent static discharges.(P243)</p> <p>Do not breathe dust/fume/gas/mist/vapours/spray.(P260)                  Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)                  Wash hand thoroughly after handling.(P264)                  Wash eye thoroughly after handling.(P264)                  Do not eat, drink or smoke when using this product.(P270)                  Use only outdoors or in a well-ventilated area.(P271)</p> <p>Wear protective gloves/protective clothing/eye protection/face protection.(P280)</p>
Response	<p>IF ON SKIN: Wash with plenty of soap and water.(P302+P352)                  IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)                  IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)                  IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)</p> <p>IF exposed or concerned: Call a doctor.(P308+P311)</p> <p>IF exposed or concerned: Get medical advice/attention.(P308+P313)                  Call a doctor if you feel unwell.(P312)                  Get medical advice and attention if you feel unwell.(P314)                  Specific treatment.(P321)                  If skin irritation occurs: Get medical advice/attention.(P332+P313)                  If eye irritation persists: Get medical advice/attention.(P337+P313)                  Take off contaminated clothing and wash it before reuse.(P362+P364)</p>
Storage	<p>In case of fire: Use appropriate media to extinguish.(P370+P378)</p> <p>Store in a well-ventilated place. Keep container tightly closed.(P403+P233)                  Store in a well-ventilated place. Keep cool.(P403+P235)</p>
Disposal	<p>Store locked up.(P405)                  Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)</p>

Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Mixture

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.	CAS RN
--------------------------	----------------------	---------	-------------------	--------

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Name	Ranges (%)		ENCS No.	ISHL No.	
Methyl ethyl ketone	80-90	CH3CH2CO CH3	(2)-542	Registered	78-93-3
Ethanol	10-20	CH3CH2OH	(2)-202	Registered	64-17-5

**Section 4 – FIRST AID MEASURES**

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

IF exposed or concerned: Call a doctor.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

Eye Contact

If skin irritation occurs: Get medical advice and attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion

IF exposed or concerned: Call a doctor.

Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

**Section 5 – FIRE FIGHTING MEASURES**

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media

When dust occurs, use dry sand.  
Cylindric water.

Specific Hazards in Case of Fire

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting

Fight fire from upwind position if possible  
Keep away from sources of ignition and use appropriate extinguishing media.

Prohibit unauthorized staff from entering the area around the fire.

Keep unnecessary people away.

Special Protective Equipment and Precautions for Fire Fighters

Use goggles in combination with dust mask, and another protections as appropriate to situation.

**Section 6 – ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment and Emergency Procedures

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental Precautions

Large spills :Evacuate area.

Ensure adequate ventilation.

Do not discharge into the drains, surface waters or ground water directly.

Methods and Equipment for Containment and Cleaning Up

No information available

Prevention Measures for Secondary Accidents

Keep away from sources of ignition and prepare extinguishing media.

**Section 7 – HANDLING AND STORAGE**

Handling	Technical Measures	Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".
		Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.  Take precautionary measures against static discharge.  Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe Handling	Keep cool.  Do not breathe dust/fume/gas/mist/vapours/spray.  Do not eat, drink or smoke when using this product.  Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 – STABILITY AND REACTIVITY".
Storage	Conditions for Safe Storage	Refer to "Section 10 – STABILITY AND REACTIVITY".  Store locked up. Store container tightly closed in well-ventilated place.

## Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590mg/m <sup>3</sup> )	TWA 200 ppm, STEL 300 ppm
Ethanol	-	-	TWA -, STEL 1000 ppm

Engineering Controls		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.  Use explosion-proof electrical equipment and prevent from static electricity.
Personal Protective Equipment	Respiratory Protection	If necessary, wear respiratory protection.
	Hand Protection	Wear protective gloves.
	Eye/Face Protection	Wear eye protection/face protection.
	Skin and Body Protection	Wear protective clothing.

## Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Form	Liquid
Colour	Clear
Odour	Solvent odor
Melting Point/Freezing Point	No data available

Boiling Point or Initial Boiling Point and Boiling Ranges		79~80 °C
Flammability		No data available
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	1.7vol%
	Upper Limit	19vol%
Flash Point		-4°C (Tag Closed Cup)
Auto-Ignition Temperature		404°C
Decomposition Temperature		No data available
pH		No data available
Kinematic Viscosity		0.5mm <sup>2</sup> /s
Solubility		No data available
Partition Coefficient : n-Octanol/Water		No data available
Vapour Pressure		9.492kPa (20°C)
Density and/or Relative Density		0.804
Relative Gas Density		No data available
Particle Characteristics		No data available
as Methyl ethyl ketone		
Melting Point/Freezing Point		-86.4°C
Boiling Point or Initial Boiling Point and Boiling Ranges		79.6°C
Density and/or Relative Density		0.8061
as Ethanol		
Boiling Point or Initial Boiling Point and Boiling Ranges		78.3°C
Density and/or Relative Density		0.7892(20°C, 4°C)
<b>Section 10 – STABILITY AND REACTIVITY</b>		
Reactivity		Does not react dangerously under normal conditions.
Chemical Stability		Stable under normal conditions of use.
Possibility of Hazardous Reaction		Flammable
Conditions to Avoid		There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures		No data available
Hazardous Decomposition Products		No data available
Other Data		No data available
<b>Section 11 – TOXICOLOGICAL INFORMATION</b>		
Acute Toxicity	Oral	Classified as Category 5 since ATE is more than 2000(mg/kg). Changed from Category 5 to Not classified since Category 5 is not adopted in JIS Z 7252.
	Dermal	Classified as Not classified since ATE is over more than 2000(mg/kg).
	Inhalation	(gas) Does not fall under gas based on GHS definitions.  (vapour)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

	Classified as Category 4 since ATE is 2500 to 20000(ppmV). (dust and mist)
Skin Corrosion/Irritation	Unable to classify due to insufficient data. Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation	Classified as Category 2A since the sum of Eye Category 2A is more than 10%.
Respiratory Sensitization	Unable to classify due to insufficient data.
Skin Sensitization	Unable to classify due to insufficient data.
Germ Cell Mutagenicity	Unable to classify due to insufficient data.
Carcinogenicity	Classified as Category 1A since one of the Category 1A ingredients is more than 0.1%.
Reproductive Toxicity	(Reproductive toxicity) Classified as Category 1A since one of the Category 1A ingredients is more than 0.3%. (Reproductive toxicity, effects on or via lactation)
Specific Target Organ Toxicity (Single Exposure)	Unable to classify due to insufficient data. Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.
Specific Target Organ Toxicity (Repeated Exposure)	Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%. Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%. Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more than 10%. Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%. Classified as Category 2(central nervous system) since one of the Category 2(central nervous system) ingredients is more than 10%.
Aspiration Hazard	Unable to classify due to insufficient data.
<b>Section 12 – ECOLOGICAL INFORMATION</b>	
Hazardous to the Aquatic Environment, Short-Term (Acute)	Classified as Not classified since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is less than 25%.
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classified as Not classified since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is less than 25%.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Hazardous to the Ozone Layer	Unable to classify due to insufficient data.
<b>Section 13 – DISPOSAL CONSIDERATIONS</b>	
Residual waste	Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on “specially controlled industrial waste(Flammable waste oil)” from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or into the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containers Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 – TRANSPORT INFORMATION

International Regulations	Regulatory Information by Sea	Conform to the provisions of IMO.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance Transported in Bulk	Not applicable
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Regulatory Information by Road	Complies with the Fire Service Act.
Regulations in Japan	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance Transported in Bulk	Not applicable
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Emergency Response Guide Number	130

Section 15 – REGULATORY INFORMATION

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Industrial Safety and Health Act	Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6 the standards for work environment monitoring Article 65 part 2-1  Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)  Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4) Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9) Ethanol(Number: 61) (10%–20%) Methyl ethyl ketone (Number: 570) (80%–90%) Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))
Poisonous and Deleterious Substances Control Act	Not applicable
Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof	Not applicable
Fire Service Act	Hazardous Materials Category IV inflammable liquids Class I petroleum non water-soluble Packing Group II
Narcotics and Psychotropics Control Act	raw materials for Narcotics or Psychotropics(Appended Table IV part 9, Order Article 4)
Foreign Exchange and Foreign Trade Act	Import Trade Control Order Appended Table I part 16  Import Trade Control Order Appended Table II (Import Approval )
Ship Safety Law Aviation Law	Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

## Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second-class organic solvents.  In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022. ) 2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.  The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act	The flash point of Class I petroleum is less than 21 ° c.
Poisonous and Deleterious Substances Control Act	The deleterious substances is only applicable to the material, and the mixture is non-applicable.  Substances treated as equipment are exempt from this law.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.



---

RoHS Specified Substance Concentration	Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit) JIS Z7253:2019
Cited Literature	1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan  3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS (JCDB)
Additional Information about This Product:	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.