

Issue 2017.06.14

Revision 2022.10.24

## Safety Data Sheet (SDS)

### Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Solvent-S4136
Product Code	S4136
Reference Number	1023
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Company Contact	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	ogino-masahiko@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers

### Section 2 – HAZARDS IDENTIFICATION

#### GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Reproductive toxicity Category 2 Specific target organ toxicity (single exposure) Category 3 (narcotic effect respiratory tract irritation)

Other hazards than mentioned above are Not classified or Classification not possible.

#### GHS Label Elements

##### Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H315+H320 Causes skin and eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H361 Suspected of damaging fertility or the unborn child

##### Precautionary Statements

Prevention	Obtain special instructions before use.(P201) Do not handle until all safety precautions have been read and understood.(P202) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)  Keep container tightly closed.(P233) Ground and bond container and receiving equipment.(P240) Use explosion-proof electrical, ventilating and lighting equipment.(P241) Use non-sparking tools.(P242) Take action to prevent static discharges.(P243)
------------	---

Avoid breathing  
 dust/fume/gas/mist/vapours/spray.(P261)  
 Wash hand thoroughly after handling.(P264)  
 Wash eye thoroughly after handling.(P264)  
 Use only outdoors or in a well-ventilated area.(P271)

Response  
 Wear protective gloves/protective clothing/eye protection/face protection.(P280)  
 IF ON SKIN: Wash with plenty of soap and water.(P302+P352)  
 IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

Storage  
 IF exposed or concerned: Get medical advice/attention.(P308+P313)  
 Call a doctor if you feel unwell.(P312)  
 Specific treatment.(P321)  
 If skin irritation occurs: Get medical advice/attention.(P332+P313)  
 If eye irritation persists: Get medical advice/attention.(P337+P313)  
 Take off contaminated clothing and wash it before reuse.(P362+P364)  
 In case of fire: Use appropriate media to extinguish.(P370+P378)

Disposal  
 Store in a well-ventilated place. Keep container tightly closed.(P403+P233)  
 Store in a well-ventilated place. Keep cool.(P403+P235)  
 Store locked up.(P405)  
 Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Mixture

Chemical Name or Generic Name	Concentration or Its Ranges (%)	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Methyl isopropyl ketone	90-100	CH <sub>3</sub> CH(CH <sub>3</sub> )COCH <sub>3</sub>	(2)-542	Registered	563-80-4

Section 4 – FIRST AID MEASURES

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or concerned: Get medical advice and attention.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

IF exposed or concerned: Get medical advice and attention.

Eye Contact	Specific treatment. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	IF exposed or concerned: Get medical advice and attention. Rinse mouth. IF SWALLOWED: Call a doctor if you feel unwell.  IF exposed or concerned: Get medical advice and attention.
<b>Section 5 – FIRE FIGHTING MEASURES</b>	
Suitable Extinguishing Media	Use extinguishing agent suitable for type of surrounding fire. When dust occurs, use dry sand.
Unsuitable Extinguishing Media	Cylindric water.
Specific Hazards in Case of Fire	Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.
Specific Fire Fighting	Fight fire from upwind position if possible Keep away from sources of ignition and use appropriate extinguishing media. Prohibit unauthorized staff from entering the area around the fire. Keep unnecessary people away.
Special Protective Equipment and Precautions for Fire Fighters	Use goggles in combination with dust mask, and another protections as appropriate to situation.
<b>Section 6 – ACCIDENTAL RELEASE MEASURES</b>	
Personal Precautions, Protective Equipment and Emergency Procedures	Use goggles in combination with dust mask, and another protections as appropriate to situation.
Environmental Precautions	Large spills :Evacuate area. Ensure adequate ventilation. Do not discharge into the drains, surface waters or ground water directly.
Methods and Equipment for Containment and Cleaning Up	No information available
Prevention Measures for Secondary Accidents	Keep away from sources of ignition and prepare extinguishing media.
<b>Section 7 – HANDLING AND STORAGE</b>	
Handling	Technical Measures
	Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".  Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.  Take precautionary measures against static discharge.  Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe Handling
	Wash hands thoroughly after handling.  Use only outdoors or in a well-ventilated area.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

		Wear protective gloves/protective clothing/eye protection/face protection. Keep cool. Avoid breathing dust/fume/gas/mist/vapours/spray.
Storage	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 – STABILITY AND REACTIVITY".
	Conditions for Safe Storage	Refer to "Section 10 – STABILITY AND REACTIVITY".  Store locked up. Store container tightly closed in well-ventilated place.

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	Exposure Limits (ACGIH)
Methyl isopropyl ketone	-	-	TWA 20 ppm, STEL -

Engineering Controls		Use local exhaust ventilation in case of production of fume or mist.  Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Personal Protective Equipment	Respiratory Protection	Use explosion-proof electrical equipment and prevent from static electricity. If necessary, wear respiratory protection.
	Hand Protection	Wear protective gloves.
	Eye/Face Protection	Wear eye protection/face protection.
	Skin and Body Protection	Wear protective clothing.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State		Liquid
Form		Liquid
Colour		Clear
Odour		Solvent odor
Melting Point/Freezing Point		-95°C (as Methyl isopropyl ketone)
Boiling Point or Initial Boiling Point and Boiling Ranges		94°C (as Methyl isopropyl ketone)
Flammability		Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	1.2vol% (as Methyl isopropyl ketone)
	Upper Limit	8vol% (as Methyl isopropyl ketone)
Flash Point		0.5°C (Tag Closed Cup)
Auto-Ignition Temperature		475°C(as Methyl isopropyl ketone)
Decomposition Temperature		No data available
pH		No data available
Kinematic Viscosity		0.6mm <sup>2</sup> /s
Partition Coefficient : n-Octanol/Water		0.84 (as Methyl isopropyl ketone)
Vapour Pressure		5.5kPa (20°C) (as Methyl isopropyl ketone)
Density and/or Relative Density		No data available
Relative Gas Density		No data available

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Particle Characteristics	No data available
as Methyl isopropyl ketone	
Boiling Point or Initial Boiling Point and Boiling Ranges	95°C
Density and/or Relative Density	0.8046(16°C/4°C)
<b>Section 10 – STABILITY AND REACTIVITY</b>	
Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures	No data available
Hazardous Decomposition Products	No data available
Other Data	No data available
<b>Section 11 – TOXICOLOGICAL INFORMATION</b>	
Acute Toxicity	Oral
	Dermal
	Inhalation
	Classified as Not classified since ATE is over more than 2000(mg/kg).
	Classified as Not classified since ATE is over more than 2000(mg/kg).
	(gas)
	Does not fall under gas based on GHS definitions.
	(vapour)
	Classified as Category 4 since ATE is 2500 to (dust and mist)
	Unable to classify due to insufficient data.
Skin Corrosion/Irritation	Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation	Classified as Category 2B since the sum of Eye Category 2B ingredients is more than 10%.
Respiratory Sensitization	Unable to classify due to insufficient data.
Skin Sensitization	Unable to classify due to insufficient data.
Germ Cell Mutagenicity	Unable to classify due to insufficient data.
Carcinogenicity	Unable to classify due to insufficient data.
Reproductive Toxicity	(Reproductive toxicity)
	Classified as Category 2 since one of the Category 2 ingredients is more than 3.0%.
	(Reproductive toxicity, effects on or via lactation)
	Unable to classify due to insufficient data.
Specific Target Organ Toxicity (Single Exposure)	Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%.
	Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)	Unable to classify due to insufficient data.
Aspiration Hazard	Unable to classify due to insufficient data.
<b>Section 12 – ECOLOGICAL INFORMATION</b>	
Hazardous to the Aquatic Environment, Short-Term (Acute)	Classified as Not classified since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is 0%.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classified as Not classified since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is 0%.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Hazardous to the Ozone Layer	Unable to classify due to insufficient data.

## Section 13 – DISPOSAL CONSIDERATIONS

Residual waste	<p>Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on “specially controlled industrial waste(Flammable waste oil)” from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.</p> <p>Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.</p> <p>Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.</p> <p>When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.</p> <p>Clarify the contents of waste materials and entrust disposal to a waste disposal company.</p>
Contaminated container	Empty containers should be treated as industrial wastes and not allowed to contain waste.

## Section 14 – TRANSPORT INFORMATION

International Regulations	Regulatory Information by Sea	Conform to the provisions of IMO.
	UN No.	2397
	Proper Shipping Name	3-METHYLBUTAN-2-ONE
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance Transported in Bulk	Not applicable
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
	UN No.	2397
	Proper Shipping Name	3-METHYLBUTAN-2-ONE
	Class	3
	Packing Group	II
Regulations in Japan	Regulatory Information by Road	Complies with the Fire Service Act.
	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No.	2397
	Proper Shipping Name	3-METHYLBUTAN-2-ONE
	Class	3
	Packing Group	II

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Marine Pollutant	Not applicable
Liquid Substance Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code	Not applicable
Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
UN No.	2397
Proper Shipping Name	3-METHYLBUTAN-2-ONE
Class	3
Packing Group	II
Emergency Response Guide Number	130

## Section 15 – REGULATORY INFORMATION

Industrial Safety and Health Act	Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
	Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9) Methyl propyl ketone (Number: 590) (99more than .9%) Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not applicable
Poisonous and Deleterious Substances Control Act	Not applicable
Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof	Not applicable
Fire Service Act	Hazardous Materials Category IV inflammable liquids Class I petroleum non water-soluble Packing Group II Import Trade Control Order Appended Table I part 16
Foreign Exchange and Foreign Trade Act	
Ship Safety Law	Flammable liquids(Order Article 3,Appended Table I)
Aviation Law	Flammable liquids(Order Article 194,Appended Table I)

## Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second-class organic solvents.  In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022. ) 3-methyl-2-butanone and Methyl isopropyl ketone are the same substances. Methyl isopropyl ketone belongs to Methyl propyl ketone.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.  The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act	The flash point of Class I petroleum is less than 21 ° c.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

---

Poisonous and Deleterious Substances Control Act	The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019
Cited Literature	1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan  3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS (JCDB)
Additional Information about This Product:	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.